

APPENDIX A

DIAGNOSTIC AND STATISTICAL MANUAL OF MENTAL DISORDERS

FIFTH EDITION
TEXT REVISION

DSM-5-TR™



Copyright © 2022 American Psychiatric Association

DSM, DSM-5, and DSM-5-TR are registered trademarks of the American Psychiatric Association. Use of these terms is prohibited without permission of the American Psychiatric Association.

ALL RIGHTS RESERVED. Unless authorized in writing by the APA, no part of this book may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form, including electronic applications.

Correspondence regarding copyright permissions should be directed to DSM Permissions, American Psychiatric Association Publishing, 800 Maine Avenue SW, Suite 900, Washington, DC 20024-2812.

Manufactured in the United States of America on acid-free paper.

ISBN 978-0-89042-575-6 (Hardcover) 1st printing February 2022

ISBN 978-0-89042-576-3 (Paperback) 1st printing February 2022

American Psychiatric Association

800 Maine Avenue SW

Suite 900

Washington, DC 20024-2812

www.psychiatry.org

The correct citation for this book is American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision. Washington, DC, American Psychiatric Association, 2022.

Library of Congress Cataloging-in-Publication Data

Names: American Psychiatric Association, issuing body.

Title: Diagnostic and statistical manual of mental disorders : DSM-5-TR / American Psychiatric Association.

Other titles: DSM-5-TR

Description: Fifth edition, text revision. | Washington, DC : American Psychiatric Association Publishing, [2022] | Includes index.

Identifiers: LCCN 2021051781 (print) | LCCN 2021051782 (ebook) | ISBN 9780890425756 (hardcover ; alk. paper) | ISBN 9780890425763 (paperback ; alk. paper) | ISBN 9780890425770 (ebook)

Subjects: MESH: Diagnostic and statistical manual of mental disorders. 5th ed | Mental Disorders—classification | Mental Disorders—diagnosis

Classification: LCC RC455.2.C4 (print) | LCC RC455.2.C4 (ebook) | NLM WM 15 | DDC 616.89/075—dc23/eng/20211209

LC record available at <https://lcn.loc.gov/2021051781>

LC ebook record available at <https://lcn.loc.gov/2021051782>.

British Library Cataloguing in Publication Data

A CIP record is available from the British Library.

Text Design—Tammy J. Cordova

Manufacturing—Sheridan Books, Inc.

Contents

DSM-5-TR Chairs and Review Groups	vii
DSM-5 Task Force and Work Groups	xv
Preface to DSM-5-TR	xxi
Preface to DSM-5	xxiii
 DSM-5-TR Classification	 xxvii

Section I

DSM-5 Basics

Introduction	5
Use of the Manual	21
Cautionary Statement for Forensic Use of DSM-5	29

Section II

Diagnostic Criteria and Codes

Neurodevelopmental Disorders	35
Schizophrenia Spectrum and Other Psychotic Disorders	101
Bipolar and Related Disorders	139
Depressive Disorders	177
Anxiety Disorders	215
Obsessive-Compulsive and Related Disorders	263
Trauma- and Stressor-Related Disorders	295
Dissociative Disorders	329
Somatic Symptom and Related Disorders	349
Feeding and Eating Disorders	371
Elimination Disorders	399
Sleep-Wake Disorders	407

Sexual Dysfunctions	477
Gender Dysphoria	511
Disruptive, Impulse-Control, and Conduct Disorders	521
Substance-Related and Addictive Disorders	543
Neurocognitive Disorders	667
Personality Disorders	733
Paraphilic Disorders	779
Other Mental Disorders and Additional Codes	803
Medication-Induced Movement Disorders and Other Adverse Effects of Medication	807
Other Conditions That May Be a Focus of Clinical Attention	821

Section III

Emerging Measures and Models

Assessment Measures	841
Culture and Psychiatric Diagnosis	859
Alternative DSM-5 Model for Personality Disorders	881
Conditions for Further Study	903

Appendix

Alphabetical Listing of DSM-5-TR Diagnoses and ICD-10-CM Codes	929
Numerical Listing of DSM-5-TR Diagnoses and ICD-10-CM Codes	957
DSM-5 Advisors and Other Contributors	983
Index	1005

DSM-5-TR Classification

Before each disorder name, ICD-10-CM codes are provided. Blank lines indicate that the ICD-10-CM code depends on the applicable subtype, specifier, or class of substance. For periodic DSM-5-TR coding and other updates, see www.dsm5.org.

Following chapter titles and disorder names, page numbers for the corresponding text or criteria are included in parentheses.

Note for all mental disorders due to another medical condition: Insert the name of the etiological medical condition within the name of the mental disorder due to [the medical condition]. The code and name for the etiological medical condition should be listed first immediately before the mental disorder due to the medical condition.

Neurodevelopmental Disorders (35)

Intellectual Developmental Disorders (37)

- Intellectual Developmental Disorder (Intellectual Disability) (37)
Specify current severity:
- F70** Mild
 - F71** Moderate
 - F72** Severe
 - F73** Profound
 - F88** Global Developmental Delay (46)
 - F79** Unspecified Intellectual Developmental Disorder (Intellectual Disability) (46)

Communication Disorders (46)

- F80.2** Language Disorder (47)
- F80.0** Speech Sound Disorder (50)
- F80.81** Childhood-Onset Fluency Disorder (Stuttering) (51)
Note: Later-onset cases are diagnosed as F98.5 adult-onset fluency disorder.
- F80.82** Social (Pragmatic) Communication Disorder (54)
- F80.9** Unspecified Communication Disorder (56)

Autism Spectrum Disorder (56)**F84.0** Autism Spectrum Disorder (56)

Specify current severity: Requiring very substantial support, Requiring substantial support, Requiring support

Specify if: With or without accompanying intellectual impairment, With or without accompanying language impairment

Specify if: Associated with a known genetic or other medical condition or environmental factor (**Coding note:** Use additional code to identify the associated genetic or other medical condition); Associated with a neurodevelopmental, mental, or behavioral problem

Specify if: With catatonia (use additional code F06.1)

Attention-Deficit/Hyperactivity Disorder (68)**—.—** Attention-Deficit/Hyperactivity Disorder (68)

Specify if: In partial remission

Specify current severity: Mild, Moderate, Severe

Specify whether:

F90.2 Combined presentation**F90.0** Predominantly inattentive presentation**F90.1** Predominantly hyperactive/impulsive presentation**F90.8** Other Specified Attention-Deficit/Hyperactivity Disorder (76)**F90.9** Unspecified Attention-Deficit/Hyperactivity Disorder (76)**Specific Learning Disorder (76)****—.—** Specific Learning Disorder (76)

Specify current severity: Mild, Moderate, Severe

Specify if:

F81.0 With impairment in reading (specify if with word reading accuracy, reading rate or fluency, reading comprehension)**F81.81** With impairment in written expression (specify if with spelling accuracy, grammar and punctuation accuracy, clarity or organization of written expression)**F81.2** With impairment in mathematics (specify if with number sense, memorization of arithmetic facts, accurate or fluent calculation, accurate math reasoning)**Motor Disorders (85)****F82** Developmental Coordination Disorder (85)**F98.4** Stereotypic Movement Disorder (89)

Specify if: With self-injurious behavior, Without self-injurious behavior

Specify if: Associated with a known genetic or other medical condition, neurodevelopmental disorder, or environmental factor

Specify current severity: Mild, Moderate, Severe

Tic Disorders**F95.2** Tourette's Disorder (93)**F95.1** Persistent (Chronic) Motor or Vocal Tic Disorder (93)

Specify if: With motor tics only, With vocal tics only

- F95.0** Provisional Tic Disorder (93)
F95.8 Other Specified Tic Disorder (98)
F95.9 Unspecified Tic Disorder (98)

Other Neurodevelopmental Disorders (99)

- F88** Other Specified Neurodevelopmental Disorder (99)
F89 Unspecified Neurodevelopmental Disorder (99)

Schizophrenia Spectrum and Other Psychotic Disorders (101)

The following specifiers apply to Schizophrenia Spectrum and Other Psychotic Disorders where indicated:

^a*Specify if:* The following course specifiers are only to be used after a 1-year duration of the disorder: First episode, currently in acute episode; First episode, currently in partial remission; First episode, currently in full remission; Multiple episodes, currently in acute episode; Multiple episodes, currently in partial remission; Multiple episodes, currently in full remission; Continuous; Unspecified

^b*Specify if:* With catatonia (use additional code F06.1)

^c*Specify current severity of delusions, hallucinations, disorganized speech, abnormal psychomotor behavior, negative symptoms, impaired cognition, depression, and mania symptoms*

- F21** Schizotypal (Personality) Disorder (104)
F22 Delusional Disorder^{a,c} (104)
Specify whether: Erotomantic type, Grandiose type, Jealous type, Persecutory type, Somatic type, Mixed type, Unspecified type
Specify if: With bizarre content
F23 Brief Psychotic Disorder^{b,c} (108)
Specify if: With marked stressor(s), Without marked stressor(s), With peripartum onset
F20.81 Schizophreniform Disorder^{b,c} (111)
Specify if: With good prognostic features, Without good prognostic features
F20.9 Schizophrenia^{a,b,c} (113)
 —.— Schizoaffective Disorder^{a,b,c} (121)
Specify whether:
F25.0 Bipolar type
F25.1 Depressive type
 —.— Substance/Medication-Induced Psychotic Disorder^c (126)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced psychotic disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

xxx

DSM-5-TR Classification

- ____ Psychotic Disorder Due to Another Medical Condition^c (131)
Specify whether:
- F06.2** With delusions
- F06.0** With hallucinations
- F06.1** Catatonia Associated With Another Mental Disorder (Catatonia Specifier) (135)
- F06.1** Catatonic Disorder Due to Another Medical Condition (136)
- F06.1** Unspecified Catatonia (137)
Note: Code first **R29.818** other symptoms involving nervous and musculoskeletal systems.
- F28** Other Specified Schizophrenia Spectrum and Other Psychotic Disorder (138)
- F29** Unspecified Schizophrenia Spectrum and Other Psychotic Disorder (138)

Bipolar and Related Disorders (139)

The following specifiers apply to Bipolar and Related Disorders where indicated:

^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe);
 With mixed features; With rapid cycling; With melancholic features; With atypical features;
 With mood-congruent psychotic features; With mood-incongruent psychotic features; With
 catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern

^b*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe);
 With mixed features; With rapid cycling; With peripartum onset; With seasonal pattern

- ____ Bipolar I Disorder^a (139)
- ____ Current or most recent episode manic
- F31.11** Mild
- F31.12** Moderate
- F31.13** Severe
- F31.2** With psychotic features
- F31.73** In partial remission
- F31.74** In full remission
- F31.9** Unspecified
- F31.0** Current or most recent episode hypomanic
- F31.71** In partial remission
- F31.72** In full remission
- F31.9** Unspecified
- ____ Current or most recent episode depressed
- F31.31** Mild
- F31.32** Moderate
- F31.4** Severe
- F31.5** With psychotic features
- F31.75** In partial remission
- F31.76** In full remission
- F31.9** Unspecified
- F31.9** Current or most recent episode unspecified

- F31.81** Bipolar II Disorder (150)
Specify current or most recent episode: Hypomanic^b, Depressed^a
Specify course if full criteria for a mood episode are not currently met: In partial remission, In full remission
Specify severity if full criteria for a major depressive episode are currently met: Mild, Moderate, Severe
- F34.0** Cyclothymic Disorder (159)
Specify if: With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe)
- .— Substance/Medication-Induced Bipolar and Related Disorder (162)
Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced bipolar and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information.
Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- .— Bipolar and Related Disorder Due to Another Medical Condition (166)
Specify if:
- F06.33** With manic features
- F06.33** With manic- or hypomanic-like episode
- F06.34** With mixed features
- F31.89** Other Specified Bipolar and Related Disorder (168)
- F31.9** Unspecified Bipolar and Related Disorder (169)
- F39** Unspecified Mood Disorder (169)

Depressive Disorders (177)

- F34.81** Disruptive Mood Dysregulation Disorder (178)
- .— Major Depressive Disorder (183)
Specify: With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern
- .— Single episode
- F32.0** Mild
- F32.1** Moderate
- F32.2** Severe
- F32.3** With psychotic features
- F32.4** In partial remission
- F32.5** In full remission
- F32.9** Unspecified

xxxii

DSM-5-TR Classification

- ____.____ Recurrent episode
- F33.0** Mild
- F33.1** Moderate
- F33.2** Severe
- F33.3** With psychotic features
- F33.41** In partial remission
- F33.42** In full remission
- F33.9** Unspecified
- F34.1** Persistent Depressive Disorder (193)
Specify: With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With atypical features
Specify if: In partial remission, In full remission
Specify if: Early onset, Late onset
Specify if: With pure dysthymic syndrome; With persistent major depressive episode; With intermittent major depressive episodes, with current episode; With intermittent major depressive episodes, without current episode
Specify current severity: Mild, Moderate, Severe
- F32.81** Premenstrual Dysphoric Disorder (197)
- ____.____ Substance/Medication-Induced Depressive Disorder (201)
Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced depressive disorder. See also the criteria set and corresponding recording procedures in the manual for more information.
Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- ____.____ Depressive Disorder Due to Another Medical Condition (206)
Specify if:
- F06.31** With depressive features
- F06.32** With major depressive-like episode
- F06.34** With mixed features
- F32.89** Other Specified Depressive Disorder (209)
- F32.A** Unspecified Depressive Disorder (210)
- F39** Unspecified Mood Disorder (210)

Anxiety Disorders (215)

- F93.0** Separation Anxiety Disorder (217)
- F94.0** Selective Mutism (222)
- ____.____ Specific Phobia (224)
Specify if:
- F40.218** Animal
- F40.228** Natural environment
- ____.____ Blood-injection-injury

- F40.230** Fear of blood
- F40.231** Fear of injections and transfusions
- F40.232** Fear of other medical care
- F40.233** Fear of injury
- F40.248** Situational
- F40.298** Other
- F40.10** Social Anxiety Disorder (229)
Specify if: Performance only
- F41.0** Panic Disorder (235)
- Panic Attack Specifier (242)
- F40.00** Agoraphobia (246)
- F41.1** Generalized Anxiety Disorder (250)
- Substance/Medication-Induced Anxiety Disorder (255)
Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced anxiety disorder. See also the criteria set and corresponding recording procedures in the manual for more information.
Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- F06.4** Anxiety Disorder Due to Another Medical Condition (258)
- F41.8** Other Specified Anxiety Disorder (261)
- F41.9** Unspecified Anxiety Disorder (261)

Obsessive-Compulsive and Related Disorders (263)

The following specifier applies to Obsessive-Compulsive and Related Disorders where indicated:
^a*Specify if:* With good or fair insight, With poor insight, With absent insight/delusional beliefs

- F42.2** Obsessive-Compulsive Disorder^a (265)
Specify if: Tic-related
- F45.22** Body Dysmorphic Disorder^a (271)
Specify if: With muscle dysmorphia
- F42.3** Hoarding Disorder^a (277)
Specify if: With excessive acquisition
- F63.3** Trichotillomania (Hair-Pulling Disorder) (281)
- F42.4** Excoriation (Skin-Picking) Disorder (284)
- Substance/Medication-Induced Obsessive-Compulsive and Related Disorder (287)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced obsessive-compulsive and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

xxxiv

DSM-5-TR Classification

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

- F06.8** Obsessive-Compulsive and Related Disorder Due to Another Medical Condition (291)
Specify if: With obsessive-compulsive disorder-like symptoms, With appearance preoccupations, With hoarding symptoms, With hair-pulling symptoms, With skin-picking symptoms
- F42.8** Other Specified Obsessive-Compulsive and Related Disorder (293)
- F42.9** Unspecified Obsessive-Compulsive and Related Disorder (294)

Trauma- and Stressor-Related Disorders (295)

- F94.1** Reactive Attachment Disorder (295)
Specify if: Persistent
Specify current severity: Severe
- F94.2** Disinhibited Social Engagement Disorder (298)
Specify if: Persistent
Specify current severity: Severe
- F43.10** Posttraumatic Stress Disorder (301)
Specify whether: With dissociative symptoms
Specify if: With delayed expression
- Posttraumatic Stress Disorder in Individuals Older Than 6 Years (301)
- Posttraumatic Stress Disorder in Children 6 Years and Younger (303)
- F43.0** Acute Stress Disorder (313)
- Adjustment Disorders (319)
Specify if: Acute, Persistent (chronic)
Specify whether:
- F43.21** With depressed mood
- F43.22** With anxiety
- F43.23** With mixed anxiety and depressed mood
- F43.24** With disturbance of conduct
- F43.25** With mixed disturbance of emotions and conduct
- F43.20** Unspecified
- F43.8** Prolonged Grief Disorder (322)
- F43.8** Other Specified Trauma- and Stressor-Related Disorder (327)
- F43.9** Unspecified Trauma- and Stressor-Related Disorder (328)

Dissociative Disorders (329)

- F44.81** Dissociative Identity Disorder (330)
- F44.0** Dissociative Amnesia (337)

Specify if:

- F44.1** With dissociative fugue
F48.1 Depersonalization/Derealization Disorder (343)
F44.89 Other Specified Dissociative Disorder (347)
F44.9 Unspecified Dissociative Disorder (348)

Somatic Symptom and Related Disorders (349)

- F45.1** Somatic Symptom Disorder (351)
Specify if: With predominant pain
Specify if: Persistent
Specify current severity: Mild, Moderate, Severe
- F45.21** Illness Anxiety Disorder (357)
Specify whether: Care-seeking type, Care-avoidant type
- .— Functional Neurological Symptom Disorder (Conversion Disorder) (360)
Specify if: Acute episode, Persistent
Specify if: With psychological stressor (specify stressor), Without psychological stressor
Specify symptom type:
- F44.4** With weakness or paralysis
F44.4 With abnormal movement
F44.4 With swallowing symptoms
F44.4 With speech symptom
F44.5 With attacks or seizures
F44.6 With anesthesia or sensory loss
F44.6 With special sensory symptom
F44.7 With mixed symptoms
- F54** Psychological Factors Affecting Other Medical Conditions (364)
Specify current severity: Mild, Moderate, Severe, Extreme
- .— Factitious Disorder (367)
Specify: Single episode, Recurrent episodes
- F68.10** Factitious Disorder Imposed on Self
F68.A Factitious Disorder Imposed on Another
- F45.8** Other Specified Somatic Symptom and Related Disorder (370)
F45.9 Unspecified Somatic Symptom and Related Disorder (370)

Feeding and Eating Disorders (371)

The following specifiers apply to Feeding and Eating Disorders where indicated:

^a*Specify if:* In remission

^b*Specify if:* In partial remission, In full remission

^c*Specify current severity:* Mild, Moderate, Severe, Extreme

—.— Pica^a (371)

F98.3 In children

F50.89 In adults

xxxvi

DSM-5-TR Classification

- F98.21** Rumination Disorder^a (374)
- F50.82** Avoidant/Restrictive Food Intake Disorder^a (376)
- ____ Anorexia Nervosa^{b,c} (381)
Specify whether:
- F50.01** Restricting type
- F50.02** Binge-eating/purging type
- F50.2** Bulimia Nervosa^{b,c} (387)
- F50.81** Binge-Eating Disorder^{b,c} (392)
- F50.89** Other Specified Feeding or Eating Disorder (396)
- F50.9** Unspecified Feeding or Eating Disorder (397)

Elimination Disorders (399)

- F98.0** Enuresis (399)
Specify whether: Nocturnal only, Diurnal only, Nocturnal and diurnal
- F98.1** Encopresis (402)
Specify whether: With constipation and overflow incontinence, Without constipation and overflow incontinence
- ____ Other Specified Elimination Disorder (405)
- N39.498** With urinary symptoms
- R15.9** With fecal symptoms
- ____ Unspecified Elimination Disorder (405)
- R32** With urinary symptoms
- R15.9** With fecal symptoms

Sleep-Wake Disorders (407)

The following specifiers apply to Sleep-Wake Disorders where indicated:

^aSpecify if: Episodic, Persistent, Recurrent

^bSpecify if: Acute, Subacute, Persistent

^cSpecify current severity: Mild, Moderate, Severe

- F51.01** Insomnia Disorder^a (409)
Specify if: With mental disorder, With medical condition, With another sleep disorder
- F51.11** Hypersomnolence Disorder^{b,c} (417)
Specify if: With mental disorder, With medical condition, With another sleep disorder
- ____ Narcolepsy^c (422)
Specify whether:
- G47.411** Narcolepsy with cataplexy or hypocretin deficiency (type 1)
- G47.419** Narcolepsy without cataplexy and either without hypocretin deficiency or hypocretin unmeasured (type 2)

- G47.421** Narcolepsy with cataplexy or hypocretin deficiency due to a medical condition
- G47.429** Narcolepsy without cataplexy and without hypocretin deficiency due to a medical condition

Breathing-Related Sleep Disorders (429)

- G47.33** Obstructive Sleep Apnea Hypopnea^c (429)
- Central Sleep Apnea (435)
Specify current severity
Specify whether:
- G47.31** Idiopathic central sleep apnea
- R06.3** Cheyne-Stokes breathing
- G47.37** Central sleep apnea comorbid with opioid use
Note: First code opioid use disorder, if present.
- Sleep-Related Hypoventilation (439)
Specify current severity
Specify whether:
- G47.34** Idiopathic hypoventilation
- G47.35** Congenital central alveolar hypoventilation
- G47.36** Comorbid sleep-related hypoventilation

— Circadian Rhythm Sleep-Wake Disorders^a (443)
Specify whether:

- G47.21** Delayed sleep phase type (444)
Specify if: Familial, Overlapping with non-24-hour sleep-wake type
- G47.22** Advanced sleep phase type (446)
Specify if: Familial
- G47.23** Irregular sleep-wake type (447)
- G47.24** Non-24-hour sleep-wake type (448)
- G47.26** Shift work type (450)
- G47.20** Unspecified type

Parasomnias (451)

- Non-Rapid Eye Movement Sleep Arousal Disorders (452)
Specify whether:
- F51.3** Sleepwalking type
Specify if: With sleep-related eating, With sleep-related sexual behavior (sexsomnia)
- F51.4** Sleep terror type
- F51.5** Nightmare Disorder^{b,c} (457)
Specify if: During sleep onset
Specify if: With mental disorder, With medical condition, With another sleep disorder
- G47.52** Rapid Eye Movement Sleep Behavior Disorder (461)
-
- G25.81** Restless Legs Syndrome (464)

- Substance/Medication-Induced Sleep Disorder (468)
Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced sleep disorder. See also the criteria set and corresponding recording procedures in the manual for more information.
Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.
Specify whether: Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- G47.09** Other Specified Insomnia Disorder (475)
G47.00 Unspecified Insomnia Disorder (475)
G47.19 Other Specified Hypersomnolence Disorder (475)
G47.10 Unspecified Hypersomnolence Disorder (476)
G47.8 Other Specified Sleep-Wake Disorder (476)
G47.9 Unspecified Sleep-Wake Disorder (476)

Sexual Dysfunctions (477)

The following specifiers apply to Sexual Dysfunctions where indicated:

^a*Specify* whether: Lifelong, Acquired

^b*Specify* whether: Generalized, Situational

^c*Specify* current severity: Mild, Moderate, Severe

- F52.32** Delayed Ejaculation^{a,b,c} (478)
F52.21 Erectile Disorder^{a,b,c} (481)
F52.31 Female Orgasmic Disorder^{a,b,c} (485)
Specify if: Never experienced an orgasm under any situation
F52.22 Female Sexual Interest/Arousal Disorder^{a,b,c} (489)
F52.6 Genito-Pelvic Pain/Penetration Disorder^{a,c} (493)
F52.0 Male Hypoactive Sexual Desire Disorder^{a,b,c} (498)
F52.4 Premature (Early) Ejaculation^{a,b,c} (501)

- Substance/Medication-Induced Sexual Dysfunction^c (504)
Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced sexual dysfunction. See also the criteria set and corresponding recording procedures in the manual for more information.
Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.
Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use
- F52.8** Other Specified Sexual Dysfunction (509)
F52.9 Unspecified Sexual Dysfunction (509)

Gender Dysphoria (511)

The following specifier and note apply to Gender Dysphoria where indicated:

^a*Specify* if: With a disorder/difference of sex development

^b**Note:** Code the disorder/difference of sex development if present, in addition to gender dysphoria.

- Gender Dysphoria (512)
- F64.2** Gender Dysphoria in Children^{a,b}
- F64.0** Gender Dysphoria in Adolescents and Adults^{a,b}
Specify if: Posttransition
- F64.8** Other Specified Gender Dysphoria (520)
- F64.9** Unspecified Gender Dysphoria (520)

Disruptive, Impulse-Control, and Conduct Disorders (521)

- F91.3** Oppositional Defiant Disorder (522)
Specify current severity: Mild, Moderate, Severe
- F63.81** Intermittent Explosive Disorder (527)
- Conduct Disorder (530)
Specify if: With limited prosocial emotions
Specify current severity: Mild, Moderate, Severe
Specify whether:
 - F91.1** Childhood-onset type
 - F91.2** Adolescent-onset type
 - F91.9** Unspecified onset
- F60.2** Antisocial Personality Disorder (537)
- F63.1** Pyromania (537)
- F63.2** Kleptomania (539)
- F91.8** Other Specified Disruptive, Impulse-Control, and Conduct Disorder (541)
- F91.9** Unspecified Disruptive, Impulse-Control, and Conduct Disorder (541)

Substance-Related and Addictive Disorders (543)

Substance-Related Disorders (544)

Alcohol-Related Disorders (553)

- Alcohol Use Disorder (553)
Specify if: In a controlled environment
Specify current severity/remission:
 - F10.10** Mild
 - F10.11** In early remission
 - F10.11** In sustained remission

xl

DSM-5-TR Classification

F10.20	Moderate
F10.21	In early remission
F10.21	In sustained remission
F10.20	Severe
F10.21	In early remission
F10.21	In sustained remission
—.—	Alcohol Intoxication (561)
F10.120	With mild use disorder
F10.220	With moderate or severe use disorder
F10.920	Without use disorder
—.—	Alcohol Withdrawal (564)
	Without perceptual disturbances
F10.130	With mild use disorder
F10.230	With moderate or severe use disorder
F10.930	Without use disorder
	With perceptual disturbances
F10.132	With mild use disorder
F10.232	With moderate or severe use disorder
F10.932	Without use disorder
—.—	Alcohol-Induced Mental Disorders (567)
	Note: Disorders are listed in their order of appearance in the manual.
	^a <i>Specify</i> With onset during intoxication, With onset during withdrawal
	^b <i>Specify</i> if: Acute, Persistent
	^c <i>Specify</i> if: Hyperactive, Hypoactive, Mixed level of activity
—.—	Alcohol-Induced Psychotic Disorder ^a (126)
F10.159	With mild use disorder
F10.259	With moderate or severe use disorder
F10.959	Without use disorder
—.—	Alcohol-Induced Bipolar and Related Disorder ^a (162)
F10.14	With mild use disorder
F10.24	With moderate or severe use disorder
F10.94	Without use disorder
—.—	Alcohol-Induced Depressive Disorder ^a (201)
F10.14	With mild use disorder
F10.24	With moderate or severe use disorder
F10.94	Without use disorder
—.—	Alcohol-Induced Anxiety Disorder ^a (255)
F10.180	With mild use disorder
F10.280	With moderate or severe use disorder
F10.980	Without use disorder
—.—	Alcohol-Induced Sleep Disorder ^a (468)
	<i>Specify</i> whether Insomnia type
F10.182	With mild use disorder

F10.282	With moderate or severe use disorder
F10.982	Without use disorder
—	Alcohol-Induced Sexual Dysfunction ^a (504)
	<i>Specify if:</i> Mild, Moderate, Severe
F10.181	With mild use disorder
F10.281	With moderate or severe use disorder
F10.981	Without use disorder
—	Alcohol Intoxication Delirium ^{b,c} (672)
F10.121	With mild use disorder
F10.221	With moderate or severe use disorder
F10.921	Without use disorder
—	Alcohol Withdrawal Delirium ^{b,c} (673)
F10.131	With mild use disorder
F10.231	With moderate or severe use disorder
F10.931	Without use disorder
—	Alcohol-Induced Major Neurocognitive Disorder (712)
	<i>Specify if:</i> Persistent
—	Amnesic-confabulatory type
F10.26	With moderate or severe use disorder
F10.96	Without use disorder
—	Nonamnesic-confabulatory type
F10.27	With moderate or severe use disorder
F10.97	Without use disorder
—	Alcohol-Induced Mild Neurocognitive Disorder (712)
	<i>Specify if:</i> Persistent
F10.188	With mild use disorder
F10.288	With moderate or severe use disorder
F10.988	Without use disorder
F10.99	Unspecified Alcohol-Related Disorder (568)

Caffeine-Related Disorders (569)

F15.920	Caffeine Intoxication (569)
F15.93	Caffeine Withdrawal (571)
—	Caffeine-Induced Mental Disorders (574)
	Note: Disorders are listed in their order of appearance in the manual.
	<i>Specify</i> With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder.
F15.980	Caffeine-Induced Anxiety Disorder (255)
F15.982	Caffeine-Induced Sleep Disorder (468)
	<i>Specify</i> whether Insomnia type, Daytime sleepiness type, Mixed type
F15.99	Unspecified Caffeine-Related Disorder (574)

Cannabis-Related Disorders (575)

—.— Cannabis Use Disorder (575)
Specify if: In a controlled environment
Specify current severity/remission:

- F12.10** Mild
F12.11 In early remission
F12.11 In sustained remission
F12.20 Moderate
F12.21 In early remission
F12.21 In sustained remission
F12.20 Severe
F12.21 In early remission
F12.21 In sustained remission

—.— Cannabis Intoxication (582)

- Without perceptual disturbances
F12.120 With mild use disorder
F12.220 With moderate or severe use disorder
F12.920 Without use disorder
 With perceptual disturbances
F12.122 With mild use disorder
F12.222 With moderate or severe use disorder
F12.922 Without use disorder

—.— Cannabis Withdrawal (584)

- F12.13** With mild use disorder
F12.23 With moderate or severe use disorder
F12.93 Without use disorder

—.— Cannabis-Induced Mental Disorders (586)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify if:* Acute, Persistent

^c*Specify if:* Hyperactive, Hypoactive, Mixed level of activity

—.— Cannabis-Induced Psychotic Disorder^a (126)

- F12.159** With mild use disorder
F12.259 With moderate or severe use disorder
F12.959 Without use disorder

—.— Cannabis-Induced Anxiety Disorder^a (255)

- F12.180** With mild use disorder
F12.280 With moderate or severe use disorder
F12.980 Without use disorder

—.— Cannabis-Induced Sleep Disorder^a (468)

Specify whether Insomnia type, Daytime sleepiness type, Mixed type

- F12.188** With mild use disorder
F12.288 With moderate or severe use disorder

- F12.988** Without use disorder
 —.— Cannabis Intoxication Delirium^{b,c} (672)
F12.121 With mild use disorder
F12.221 With moderate or severe use disorder
F12.921 Without use disorder
F12.921 Pharmaceutical Cannabis Receptor Agonist–Induced Delirium^{b,c} (674)
 Note: When pharmaceutical cannabis receptor agonist medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium.
- F12.99** Unspecified Cannabis-Related Disorder (586)

Hallucinogen-Related Disorders (587)

- .— Phencyclidine Use Disorder (587)
 Specify if: In a controlled environment
 Specify current severity/remission:
F16.10 Mild
F16.11 In early remission
F16.11 In sustained remission
F16.20 Moderate
F16.21 In early remission
F16.21 In sustained remission
F16.20 Severe
F16.21 In early remission
F16.21 In sustained remission
- .— Other Hallucinogen Use Disorder (590)
 Specify the particular hallucinogen
 Specify if: In a controlled environment
 Specify current severity/remission:
F16.10 Mild
F16.11 In early remission
F16.11 In sustained remission
F16.20 Moderate
F16.21 In early remission
F16.21 In sustained remission
F16.20 Severe
F16.21 In early remission
F16.21 In sustained remission
- .— Phencyclidine Intoxication (594)
F16.120 With mild use disorder
F16.220 With moderate or severe use disorder
F16.920 Without use disorder
- .— Other Hallucinogen Intoxication (596)
F16.120 With mild use disorder
F16.220 With moderate or severe use disorder
F16.920 Without use disorder

F16.983 Hallucinogen Persisting Perception Disorder (598)

____ Phencyclidine-Induced Mental Disorders (600)

Note: Disorders are listed in their order of appearance in the manual.^a*Specify* With onset during intoxication, With onset after medication use. **Note:**

When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

____ Phencyclidine-Induced Psychotic Disorder^a (126)**F16.159** With mild use disorder**F16.259** With moderate or severe use disorder**F16.959** Without use disorder____ Phencyclidine-Induced Bipolar and Related Disorder^a (162)**F16.14** With mild use disorder**F16.24** With moderate or severe use disorder**F16.94** Without use disorder____ Phencyclidine-Induced Depressive Disorder^a (201)**F16.14** With mild use disorder**F16.24** With moderate or severe use disorder**F16.94** Without use disorder____ Phencyclidine-Induced Anxiety Disorder^a (255)**F16.180** With mild use disorder**F16.280** With moderate or severe use disorder**F16.980** Without use disorder

____ Phencyclidine Intoxication Delirium (672)

Specify if: Acute, Persistent*Specify* if: Hyperactive, Hypoactive, Mixed level of activity**F16.121** With mild use disorder**F16.221** With moderate or severe use disorder**F16.921** Without use disorder

____ Hallucinogen-Induced Mental Disorders (600)

Note: Disorders are listed in their order of appearance in the manual.^a*Specify* With onset during intoxication, With onset after medication use. **Note:**

When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity____ Other Hallucinogen-Induced Psychotic Disorder^a (126)**F16.159** With mild use disorder**F16.259** With moderate or severe use disorder**F16.959** Without use disorder____ Other Hallucinogen-Induced Bipolar and Related Disorder^a (162)**F16.14** With mild use disorder**F16.24** With moderate or severe use disorder**F16.94** Without use disorder____ Other Hallucinogen-Induced Depressive Disorder^a (201)**F16.14** With mild use disorder**F16.24** With moderate or severe use disorder**F16.94** Without use disorder

—.— Other Hallucinogen-Induced Anxiety Disorder^a (255)

F16.180 With mild use disorder

F16.280 With moderate or severe use disorder

F16.980 Without use disorder

—.— Other Hallucinogen Intoxication Delirium^{b,c} (672)

F16.121 With mild use disorder

F16.221 With moderate or severe use disorder

F16.921 Without use disorder

F16.921 Ketamine or Other Hallucinogen-Induced Delirium^{b,c} (674)

Note: When ketamine or other hallucinogen medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium.

F16.99 Unspecified Phencyclidine-Related Disorder (600)

F16.99 Unspecified Hallucinogen-Related Disorder (601)

Inhalant-Related Disorders (601)

—.— Inhalant Use Disorder (601)

Specify the particular inhalant

Specify if: In a controlled environment

Specify current severity/remission:

F18.10 Mild

F18.11 In early remission

F18.11 In sustained remission

F18.20 Moderate

F18.21 In early remission

F18.21 In sustained remission

F18.20 Severe

F18.21 In early remission

F18.21 In sustained remission

—.— Inhalant Intoxication (605)

F18.120 With mild use disorder

F18.220 With moderate or severe use disorder

F18.920 Without use disorder

—.— Inhalant-Induced Mental Disorders (607)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication

—.— Inhalant-Induced Psychotic Disorder^a (126)

F18.159 With mild use disorder

F18.259 With moderate or severe use disorder

F18.959 Without use disorder

—.— Inhalant-Induced Depressive Disorder^a (201)

F18.14 With mild use disorder

F18.24 With moderate or severe use disorder

F18.94 Without use disorder

xlvi

DSM-5-TR Classification

- .— Inhalant-Induced Anxiety Disorder^a (255)
F18.180 With mild use disorder
F18.280 With moderate or severe use disorder
F18.980 Without use disorder
- .— Inhalant Intoxication Delirium (672)
Specify if: Acute, Persistent
Specify if: Hyperactive, Hypoactive, Mixed level of activity
F18.121 With mild use disorder
F18.221 With moderate or severe use disorder
F18.921 Without use disorder
- .— Inhalant-Induced Major Neurocognitive Disorder (712)
Specify if: Persistent
F18.17 With mild use disorder
F18.27 With moderate or severe use disorder
F18.97 Without use disorder
- .— Inhalant-Induced Mild Neurocognitive Disorder (712)
Specify if: Persistent
F18.188 With mild use disorder
F18.288 With moderate or severe use disorder
F18.988 Without use disorder
- F18.99** Unspecified Inhalant-Related Disorder (608)

Opioid-Related Disorders (608)

- .— Opioid Use Disorder (608)
Specify if: On maintenance therapy, In a controlled environment
Specify current severity/remission:
F11.10 Mild
F11.11 In early remission
F11.11 In sustained remission
F11.20 Moderate
F11.21 In early remission
F11.21 In sustained remission
F11.20 Severe
F11.21 In early remission
F11.21 In sustained remission
- .— Opioid Intoxication (615)
Without perceptual disturbances
F11.120 With mild use disorder
F11.220 With moderate or severe use disorder
F11.920 Without use disorder
With perceptual disturbances
F11.122 With mild use disorder
F11.222 With moderate or severe use disorder
F11.922 Without use disorder

—.— Opioid Withdrawal (617)

F11.13 With mild use disorder

F11.23 With moderate or severe use disorder

F11.93 Without use disorder

—.— Opioid-Induced Mental Disorders (619)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

—.— Opioid-Induced Depressive Disorder^a (201)

F11.14 With mild use disorder

F11.24 With moderate or severe use disorder

F11.94 Without use disorder

—.— Opioid-Induced Anxiety Disorder^a (255)

F11.180 With mild use disorder

F11.280 With moderate or severe use disorder

F11.980 Without use disorder

—.— Opioid-Induced Sleep Disorder^a (468)

Specify whether Insomnia type, Daytime sleepiness type, Mixed type

F11.182 With mild use disorder

F11.282 With moderate or severe use disorder

F11.982 Without use disorder

—.— Opioid-Induced Sexual Dysfunction^a (504)

Specify if: Mild, Moderate, Severe

F11.181 With mild use disorder

F11.281 With moderate or severe use disorder

F11.981 Without use disorder

—.— Opioid Intoxication Delirium^{b,c} (672)

F11.121 With mild use disorder

F11.221 With moderate or severe use disorder

F11.921 Without use disorder

—.— Opioid Withdrawal Delirium^{b,c} (673)

F11.188 With mild use disorder

F11.288 With moderate or severe use disorder

F11.988 Without use disorder

—.— Opioid-Induced Delirium^{b,c} (674)

Note: The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.

F11.921 When opioid medication taken as prescribed (674)

F11.988 During withdrawal from opioid medication taken as prescribed (674)

F11.99 Unspecified Opioid-Related Disorder (619)

Sedative-, Hypnotic-, or Anxiolytic-Related Disorders (620)

____ Sedative, Hypnotic, or Anxiolytic Use Disorder (620)

Specify if: In a controlled environment*Specify current severity / remission:***F13.10** Mild**F13.11** In early remission**F13.11** In sustained remission**F13.20** Moderate**F13.21** In early remission**F13.21** In sustained remission**F13.20** Severe**F13.21** In early remission**F13.21** In sustained remission

____ Sedative, Hypnotic, or Anxiolytic Intoxication (626)

F13.120 With mild use disorder**F13.220** With moderate or severe use disorder**F13.920** Without use disorder

____ Sedative, Hypnotic, or Anxiolytic Withdrawal (628)

Without perceptual disturbances

F13.130 With mild use disorder**F13.230** With moderate or severe use disorder**F13.930** Without use disorder

With perceptual disturbances

F13.132 With mild use disorder**F13.232** With moderate or severe use disorder**F13.932** Without use disorder

____ Sedative-, Hypnotic-, or Anxiolytic-Induced Mental Disorders (631)

Note: Disorders are listed in their order of appearance in the manual.^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.^b*Specify if:* Acute, Persistent^c*Specify if:* Hyperactive, Hypoactive, Mixed level of activity____ Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder^a
(126)**F13.159** With mild use disorder**F13.259** With moderate or severe use disorder**F13.959** Without use disorder____ Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related
Disorder^a (162)**F13.14** With mild use disorder**F13.24** With moderate or severe use disorder**F13.94** Without use disorder____ Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder^a
(201)**F13.14** With mild use disorder

F13.24	With moderate or severe use disorder
F13.94	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder ^a (255)
F13.180	With mild use disorder
F13.280	With moderate or severe use disorder
F13.980	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Sleep Disorder ^a (468)
	<i>Specify</i> whether Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type
F13.182	With mild use disorder
F13.282	With moderate or severe use disorder
F13.982	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Sexual Dysfunction ^a (504)
	<i>Specify</i> if: Mild, Moderate, Severe
F13.181	With mild use disorder
F13.281	With moderate or severe use disorder
F13.981	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic Intoxication Delirium ^{b,c} (672)
F13.121	With mild use disorder
F13.221	With moderate or severe use disorder
F13.921	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic Withdrawal Delirium ^{b,c} (673)
F13.131	With mild use disorder
F13.231	With moderate or severe use disorder
F13.931	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Delirium ^{b,c} (674)
	Note: The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.
F13.921	When sedative, hypnotic, or anxiolytic medication taken as prescribed (674)
F13.931	During withdrawal from sedative, hypnotic, or anxiolytic medication taken as prescribed (674)
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Major Neurocognitive Disorder (712)
	<i>Specify</i> if: Persistent
F13.27	With moderate or severe use disorder
F13.97	Without use disorder
—	Sedative-, Hypnotic-, or Anxiolytic-Induced Mild Neurocognitive Disorder (712)
	<i>Specify</i> if: Persistent
F13.188	With mild use disorder
F13.288	With moderate or severe use disorder
F13.988	Without use disorder
F13.99	Unspecified Sedative-, Hypnotic-, or Anxiolytic-Related Disorder (632)

I

DSM-5-TR Classification

Stimulant-Related Disorders (632)

—.— Stimulant Use Disorder (632)

Specify if: In a controlled environment*Specify current severity/remission:*

—.— Mild

F15.10 Amphetamine-type substance**F14.10** Cocaine**F15.10** Other or unspecified stimulant

—.— Mild, In early remission

F15.11 Amphetamine-type substance**F14.11** Cocaine**F15.11** Other or unspecified stimulant

—.— Mild, In sustained remission

F15.11 Amphetamine-type substance**F14.11** Cocaine**F15.11** Other or unspecified stimulant

—.— Moderate

F15.20 Amphetamine-type substance**F14.20** Cocaine**F15.20** Other or unspecified stimulant

—.— Moderate, In early remission

F15.21 Amphetamine-type substance**F14.21** Cocaine**F15.21** Other or unspecified stimulant

—.— Moderate, In sustained remission

F15.21 Amphetamine-type substance**F14.21** Cocaine**F15.21** Other or unspecified stimulant

—.— Severe

F15.20 Amphetamine-type substance**F14.20** Cocaine**F15.20** Other or unspecified stimulant

—.— Severe, In early remission

F15.21 Amphetamine-type substance**F14.21** Cocaine**F15.21** Other or unspecified stimulant

—.— Severe, In sustained remission

F15.21 Amphetamine-type substance**F14.21** Cocaine**F15.21** Other or unspecified stimulant

—.— Stimulant Intoxication (640)

Specify the particular intoxicant

Without perceptual disturbances

—.	Amphetamine-type substance or other stimulant intoxication
F15.120	With mild use disorder
F15.220	With moderate or severe use disorder
F15.920	Without use disorder
—.	Cocaine intoxication
F14.120	With mild use disorder
F14.220	With moderate or severe use disorder
F14.920	Without use disorder
—.	With perceptual disturbances
—.	Amphetamine-type substance or other stimulant intoxication
F15.122	With mild use disorder
F15.222	With moderate or severe use disorder
F15.922	Without use disorder
—.	Cocaine intoxication
F14.122	With mild use disorder
F14.222	With moderate or severe use disorder
F14.922	Without use disorder
—.	Stimulant Withdrawal (643)
—.	<i>Specify</i> the particular substance that causes the withdrawal syndrome
—.	Amphetamine-type substance or other stimulant withdrawal
F15.13	With mild use disorder
F15.23	With moderate or severe use disorder
F15.93	Without use disorder
—.	Cocaine withdrawal
F14.13	With mild use disorder
F14.23	With moderate or severe use disorder
F14.93	Without use disorder
—.	Stimulant-Induced Mental Disorders (644)
—.	Note: Disorders are listed in their order of appearance in the manual.
—.	^a <i>Specify</i> With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication, amphetamine-type substances and other stimulants can also induce the relevant substance-induced mental disorder.
—.	^b <i>Specify</i> if: Acute, Persistent
—.	^c <i>Specify</i> if: Hyperactive, Hypoactive, Mixed level of activity
—.	Amphetamine-Type Substance (or Other Stimulant)-Induced Psychotic Disorder ^a (126)
F15.159	With mild use disorder
F15.259	With moderate or severe use disorder
F15.959	Without use disorder
—.	Cocaine-Induced Psychotic Disorder ^a (126)
F14.159	With mild use disorder
F14.259	With moderate or severe use disorder
F14.959	Without use disorder

iii

DSM-5-TR Classification

- .— Amphetamine-Type Substance (or Other Stimulant)–Induced Bipolar and Related Disorder^a (162)
 - F15.14** With mild use disorder
 - F15.24** With moderate or severe use disorder
 - F15.94** Without use disorder
- .— Cocaine-Induced Bipolar and Related Disorder^a (162)
 - F14.14** With mild use disorder
 - F14.24** With moderate or severe use disorder
 - F14.94** Without use disorder
- .— Amphetamine-Type Substance (or Other Stimulant)–Induced Depressive Disorder^a (201)
 - F15.14** With mild use disorder
 - F15.24** With moderate or severe use disorder
 - F15.94** Without use disorder
- .— Cocaine-Induced Depressive Disorder^a (201)
 - F14.14** With mild use disorder
 - F14.24** With moderate or severe use disorder
 - F14.94** Without use disorder
- .— Amphetamine-Type Substance (or Other Stimulant)–Induced Anxiety Disorder^a (255)
 - F15.180** With mild use disorder
 - F15.280** With moderate or severe use disorder
 - F15.980** Without use disorder
- .— Cocaine-Induced Anxiety Disorder^a (255)
 - F14.180** With mild use disorder
 - F14.280** With moderate or severe use disorder
 - F14.980** Without use disorder
- .— Amphetamine-Type Substance (or Other Stimulant)–Induced Obsessive-Compulsive and Related Disorder^a (287)
 - F15.188** With mild use disorder
 - F15.288** With moderate or severe use disorder
 - F15.988** Without use disorder
- .— Cocaine-Induced Obsessive-Compulsive and Related Disorder^a (287)
 - F14.188** With mild use disorder
 - F14.288** With moderate or severe use disorder
 - F14.988** Without use disorder
- .— Amphetamine-Type Substance (or Other Stimulant)–Induced Sleep Disorder^a (468)
 - Specify whether Insomnia type, Daytime sleepiness type, Mixed type*
 - F15.182** With mild use disorder
 - F15.282** With moderate or severe use disorder
 - F15.982** Without use disorder
- .— Cocaine-Induced Sleep Disorder^a (468)
 - Specify whether Insomnia type, Daytime sleepiness type, Mixed type*
 - F14.182** With mild use disorder
 - F14.282** With moderate or severe use disorder

F14.982	Without use disorder
—	Amphetamine-Type Substance (or Other Stimulant)-Induced Sexual Dysfunction ^a (504)
	<i>Specify if:</i> Mild, Moderate, Severe
F15.181	With mild use disorder
F15.281	With moderate or severe use disorder
F15.981	Without use disorder
—	Cocaine-Induced Sexual Dysfunction ^a (504)
	<i>Specify if:</i> Mild, Moderate, Severe
F14.181	With mild use disorder
F14.281	With moderate or severe use disorder
F14.981	Without use disorder
—	Amphetamine-Type Substance (or Other Stimulant) Intoxication Delirium ^{b,c} (672)
F15.121	With mild use disorder
F15.221	With moderate or severe use disorder
F15.921	Without use disorder
—	Cocaine Intoxication Delirium ^{b,c} (672)
F14.121	With mild use disorder
F14.221	With moderate or severe use disorder
F14.921	Without use disorder
F15.921	Amphetamine-Type (or Other Stimulant) Medication-Induced Delirium ^{b,c} (674)
	Note: When amphetamine-type or other stimulant medication taken as prescribed. The designation "taken as prescribed" is used to differentiate medication-induced delirium from substance intoxication delirium.
—	Amphetamine-Type Substance (or Other Stimulant)-Induced Mild Neurocognitive Disorder (712)
	<i>Specify if:</i> Persistent
F15.188	With mild use disorder
F15.288	With moderate or severe use disorder
F15.988	Without use disorder
—	Cocaine-Induced Mild Neurocognitive Disorder (712)
	<i>Specify if:</i> Persistent
F14.188	With mild use disorder
F14.288	With moderate or severe use disorder
F14.988	Without use disorder
—	Unspecified Stimulant-Related Disorder (644)
F15.99	Amphetamine-type substance or other stimulant
F14.99	Cocaine
	Tobacco-Related Disorders (645)
—	Tobacco Use Disorder (645)
	<i>Specify if:</i> On maintenance therapy, In a controlled environment
	<i>Specify current severity / remission:</i>
Z72.0	Mild

liv

DSM-5-TR Classification

- F17.200** Moderate
- F17.201** In early remission
- F17.201** In sustained remission
- F17.200** Severe
- F17.201** In early remission
- F17.201** In sustained remission
- F17.203** Tobacco Withdrawal (649)
Note: The ICD-10-CM code indicates the comorbid presence of a moderate or severe tobacco use disorder, which must be present in order to apply the code for tobacco withdrawal.
- ____ Tobacco-Induced Mental Disorders (651)
- F17.208** Tobacco-Induced Sleep Disorder, With moderate or severe use disorder (468)
Specify whether Insomnia type, Daytime sleepiness type, Mixed type
Specify With onset during withdrawal, With onset after medication use
- F17.209** Unspecified Tobacco-Related Disorder (651)
- Other (or Unknown) Substance-Related Disorders (652)
- ____ Other (or Unknown) Substance Use Disorder (652)
Specify if: In a controlled environment
Specify current severity/remission:
- F19.10** Mild
- F19.11** In early remission
- F19.11** In sustained remission
- F19.20** Moderate
- F19.21** In early remission
- F19.21** In sustained remission
- F19.20** Severe
- F19.21** In early remission
- F19.21** In sustained remission
- ____ Other (or Unknown) Substance Intoxication (656)
- Without perceptual disturbances
- F19.120** With mild use disorder
- F19.220** With moderate or severe use disorder
- F19.920** Without use disorder
- With perceptual disturbances
- F19.122** With mild use disorder
- F19.222** With moderate or severe use disorder
- F19.922** Without use disorder
- ____ Other (or Unknown) Substance Withdrawal (658)
- Without perceptual disturbances
- F19.130** With mild use disorder
- F19.230** With moderate or severe use disorder
- F19.930** Without use disorder

	With perceptual disturbances
F19.132	With mild use disorder
F19.232	With moderate or severe use disorder
F19.932	Without use disorder
—.—	Other (or Unknown) Substance-Induced Mental Disorders (660)
	Note: Disorders are listed in their order of appearance in the manual.
	^a <i>Specify</i> With onset during intoxication, With onset during withdrawal, With onset after medication use. Note: When prescribed as medication or taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder.
	^b <i>Specify if:</i> Acute, Persistent
	^c <i>Specify if:</i> Hyperactive, Hypoactive, Mixed level of activity
—.—	Other (or Unknown) Substance-Induced Psychotic Disorder ^a (126)
F19.159	With mild use disorder
F19.259	With moderate or severe use disorder
F19.959	Without use disorder
—.—	Other (or Unknown) Substance-Induced Bipolar and Related Disorder ^a (162)
F19.14	With mild use disorder
F19.24	With moderate or severe use disorder
F19.94	Without use disorder
—.—	Other (or Unknown) Substance-Induced Depressive Disorder ^a (201)
F19.14	With mild use disorder
F19.24	With moderate or severe use disorder
F19.94	Without use disorder
—.—	Other (or Unknown) Substance-Induced Anxiety Disorder ^a (255)
F19.180	With mild use disorder
F19.280	With moderate or severe use disorder
F19.980	Without use disorder
—.—	Other (or Unknown) Substance-Induced Obsessive-Compulsive and Related Disorder ^a (287)
F19.188	With mild use disorder
F19.288	With moderate or severe use disorder
F19.988	Without use disorder
—.—	Other (or Unknown) Substance-Induced Sleep Disorder ^a (468)
	<i>Specify</i> whether Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type
F19.182	With mild use disorder
F19.282	With moderate or severe use disorder
F19.982	Without use disorder
—.—	Other (or Unknown) Substance-Induced Sexual Dysfunction ^a (504)
	<i>Specify if:</i> Mild, Moderate, Severe
F19.181	With mild use disorder
F19.281	With moderate or severe use disorder
F19.981	Without use disorder

Ivi

DSM-5-TR Classification

- .— Other (or Unknown) Substance Intoxication Delirium^{b,c} (672)
- F19.121** With mild use disorder
- F19.221** With moderate or severe use disorder
- F19.921** Without use disorder
- .— Other (or Unknown) Substance Withdrawal Delirium^{b,c} (673)
- F19.131** With mild use disorder
- F19.231** With moderate or severe use disorder
- F19.931** Without use disorder
- .— Other (or Unknown) Medication–Induced Delirium^{b,c} (674)
- Note:** The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.
- F19.921** When other (or unknown) medication taken as prescribed (674)
- F19.931** During withdrawal from other (or unknown) medication taken as prescribed (674)
- .— Other (or Unknown) Substance–Induced Major Neurocognitive Disorder (712)
- Specify if:* Persistent
- F19.17** With mild use disorder
- F19.27** With moderate or severe use disorder
- F19.97** Without use disorder
- .— Other (or Unknown) Substance–Induced Mild Neurocognitive Disorder (712)
- Specify if:* Persistent
- F19.188** With mild use disorder
- F19.288** With moderate or severe use disorder
- F19.988** Without use disorder
- F19.99** Unspecified Other (or Unknown) Substance–Related Disorder (660)

Non-Substance-Related Disorders (661)

- F63.0** Gambling Disorder (661)
- Specify if:* Episodic, Persistent
- Specify if:* In early remission, In sustained remission
- Specify current severity:* Mild, Moderate, Severe

Neurocognitive Disorders (667)

- .— Delirium (672)
- Specify if:* Acute, Persistent
- Specify if:* Hyperactive, Hypoactive, Mixed level of activity
- ^a**Note:** For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced delirium. See also the criteria set and corresponding recording procedures in the manual for more information.
- Specify whether:*
- .— Substance intoxication delirium^a
- .— Substance withdrawal delirium^a

—	Medication-induced delirium ^a
F05	Delirium due to another medical condition
F05	Delirium due to multiple etiologies
R41.0	Other Specified Delirium (678)
R41.0	Unspecified Delirium (678)

Major and Mild Neurocognitive Disorders (679)

Specify whether due to [any of the following medical etiologies]: Alzheimer's disease, Frontotemporal degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson's disease, Huntington's disease, Another medical condition, Multiple etiologies, Unspecified etiology

^a*Specify current severity: Mild, Moderate, Severe. This specifier applies only to major neurocognitive disorders (including probable and possible).*

^b*Specify: Without behavioral disturbance, With behavioral disturbance. For all mild neurocognitive disorders, substance/medication-induced major neurocognitive disorder, and unspecified neurocognitive disorder, behavioral disturbance cannot be coded but should still be recorded.*

Note: As indicated for each subtype, an additional medical code is needed for most major neurocognitive disorders, including those due to probable and possible medical etiologies. The medical etiology should be coded first, before the code for the major neurocognitive disorder. An additional medical code should *not* be used for any mild neurocognitive disorder and is not used for major or mild vascular neurocognitive disorder, substance/medication-induced major or mild neurocognitive disorder, and unspecified neurocognitive disorder.

Coding note: For major and mild neurocognitive disorders: Use additional code(s) to indicate clinically significant psychiatric symptoms due to the same medical condition causing the major NCD (e.g., F06.2 psychotic disorder due to Alzheimer's disease with delusions; F06.32 depressive disorder due to Parkinson's disease, with major depressive-like episode.) **Note:** The additional codes for mental disorders due to another medical condition are included with disorders with which they share phenomenology (e.g., for depressive disorders due to another medical condition, see "Depressive Disorders").

Major or Mild Neurocognitive Disorder Due to Alzheimer's Disease (690)

—	Major Neurocognitive Disorder Due to Probable Alzheimer's Disease ^a
	Note: Code first G30.9 Alzheimer's disease.
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
—	Major Neurocognitive Disorder Due to Possible Alzheimer's Disease ^a
	Note: Code first G30.9 Alzheimer's disease.
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
G31.84	Mild Neurocognitive Disorder Due to Alzheimer's Disease ^b

Major or Mild Frontotemporal Neurocognitive Disorder (695)

—	Major Neurocognitive Disorder Due to Probable Frontotemporal Degeneration ^a
	Note: Code first G31.09 frontotemporal degeneration.
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance

lviii

DSM-5-TR Classification

— Major Neurocognitive Disorder Due to Possible Frontotemporal Degeneration^a

Note: Code first G31.09 frontotemporal degeneration.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Frontotemporal Degeneration^b

Major or Mild Neurocognitive Disorder With Lewy Bodies (699)

— Major Neurocognitive Disorder With Probable Lewy Bodies^a

Note: Code first G31.83 Lewy body disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

— Major Neurocognitive Disorder With Possible Lewy Bodies^a

Note: Code first G31.83 Lewy body disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder With Lewy Bodies^b

Major or Mild Vascular Neurocognitive Disorder (702)

— Major Neurocognitive Disorder Probably Due to Vascular Disease^a

Note: No additional medical code for vascular disease.

F01.51 With behavioral disturbance

F01.50 Without behavioral disturbance

— Major Neurocognitive Disorder Possibly Due to Vascular Disease^a

Note: No additional medical code for vascular disease.

F01.51 With behavioral disturbance

F01.50 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Vascular Disease^b

Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury (706)

— Major Neurocognitive Disorder Due to Traumatic Brain Injury^a

Note: For ICD-10-CM, code first S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Traumatic Brain Injury^b

Substance/Medication-Induced Major or Mild Neurocognitive Disorder (712)

Note: No additional medical code. For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced major or mild neurocognitive disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: Persistent

____ Substance/Medication-Induced Major Neurocognitive Disorder^{a,b}

Note: If a substance use disorder is present, record mild substance use disorder (ICD-10-CM code not available if mild substance use disorder does not cause a major neurocognitive disorder) or moderate or severe substance use disorder; if no substance use disorder is present, record only [*specific substance*]-induced major neurocognitive disorder.

____ Substance/Medication-Induced Mild Neurocognitive Disorder^b

Note: If a substance use disorder is present, record mild substance use disorder or moderate or severe substance use disorder; if no substance use disorder is present, record only [*specific substance*]-induced mild neurocognitive disorder.

Major or Mild Neurocognitive Disorder Due to HIV Infection (717)

____ Major Neurocognitive Disorder Due to HIV Infection^a

Note: Code first B20 HIV infection.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to HIV Infection^b

Major or Mild Neurocognitive Disorder Due to Prion Disease (721)

____ Major Neurocognitive Disorder Due to Prion Disease^a

Note: Code first A81.9 prion disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Prion Disease^b

Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (723)

____ Major Neurocognitive Disorder Probably Due to Parkinson's Disease^a

Note: Code first G20 Parkinson's disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

____ Major Neurocognitive Disorder Possibly Due to Parkinson's Disease^a

Note: Code first G20 Parkinson's disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Parkinson's Disease^b

Major or Mild Neurocognitive Disorder Due to Huntington's Disease (726)

____ Major Neurocognitive Disorder Due to Huntington's Disease^a

Note: Code first G10 Huntington's disease.

F02.81 With behavioral disturbance

F02.80 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Huntington's Disease^b

Ix

DSM-5-TR Classification

Major or Mild Neurocognitive Disorder Due to Another Medical Condition (729)____ Major Neurocognitive Disorder Due to Another Medical Condition^a**Note:** Code first the other medical condition.**F02.81** With behavioral disturbance**F02.80** Without behavioral disturbance**G31.84** Mild Neurocognitive Disorder Due to Another Medical Condition^b**Major or Mild Neurocognitive Disorder Due to Multiple Etiologies (731)**____ Major Neurocognitive Disorder Due to Multiple Etiologies^a**Note:** Code first all the etiological medical conditions (with the exception of vascular disease, which is not coded).**F02.81** With behavioral disturbance**F02.80** Without behavioral disturbance**Note:** If vascular disease is among the multiple etiological medical conditions, code either **F01.51** for major vascular neurocognitive disorder, with behavioral disturbance, or **F01.50** for major vascular neurocognitive disorder, without behavioral disturbance.**G31.84** Mild Neurocognitive Disorder Due to Multiple Etiologies^b**Unspecified Neurocognitive Disorder^b (732)****Note:** No additional medical code.**R41.9** Unspecified Neurocognitive Disorder^b

Personality Disorders (733)

Cluster A Personality Disorders**F60.0** Paranoid Personality Disorder (737)**F60.1** Schizoid Personality Disorder (741)**F21** Schizotypal Personality Disorder (744)**Cluster B Personality Disorders****F60.2** Antisocial Personality Disorder (748)**F60.3** Borderline Personality Disorder (752)**F60.4** Histrionic Personality Disorder (757)**F60.81** Narcissistic Personality Disorder (760)**Cluster C Personality Disorders****F60.6** Avoidant Personality Disorder (764)**F60.7** Dependent Personality Disorder (768)**F60.5** Obsessive-Compulsive Personality Disorder (771)

Other Personality Disorders

- F07.0** Personality Change Due to Another Medical Condition (775)
Specify whether: Labile type, Disinhibited type, Aggressive type, Apathetic type, Paranoid type, Other type, Combined type, Unspecified type
- F60.89** Other Specified Personality Disorder (778)
- F60.9** Unspecified Personality Disorder (778)

Paraphilic Disorders (779)

The following specifier applies to Paraphilic Disorders where indicated:

^a*Specify* if: In a controlled environment, In full remission

- F65.3** Voyeuristic Disorder^a (780)
- F65.2** Exhibitionistic Disorder^a (783)
Specify whether: Sexually aroused by exposing genitals to prepubertal children, Sexually aroused by exposing genitals to physically mature individuals, Sexually aroused by exposing genitals to prepubertal children and to physically mature individuals
- F65.81** Frotteuristic Disorder^a (785)
- F65.51** Sexual Masochism Disorder^a (788)
Specify if: With asphyxiophilia
- F65.52** Sexual Sadism Disorder^a (790)
- F65.4** Pedophilic Disorder (792)
Specify whether: Exclusive type, Nonexclusive type
Specify if: Sexually attracted to males, Sexually attracted to females, Sexually attracted to both
Specify if: Limited to incest
- F65.0** Fetishistic Disorder^a (796)
Specify: Body part(s), Nonliving object(s), Other
- F65.1** Transvestic Disorder^a (798)
Specify if: With fetishism, With autogynephilia
- F65.89** Other Specified Paraphilic Disorder (801)
- F65.9** Unspecified Paraphilic Disorder (801)

Other Mental Disorders and Additional Codes (803)

- F06.8** Other Specified Mental Disorder Due to Another Medical Condition (803)
- F09** Unspecified Mental Disorder Due to Another Medical Condition (804)
- F99** Other Specified Mental Disorder (804)
- F99** Unspecified Mental Disorder (805)
- Z03.89** No Diagnosis or Condition (805)

Medication-Induced Movement Disorders and Other Adverse Effects of Medication (807)

- ____ Medication-Induced Parkinsonism (807)
- G21.11** Antipsychotic Medication– and Other Dopamine Receptor Blocking
Agent-Induced Parkinsonism (807)
- G21.19** Other Medication-Induced Parkinsonism (807)
- G21.0** Neuroleptic Malignant Syndrome (810)
- G24.02** Medication-Induced Acute Dystonia (812)
- G25.71** Medication-Induced Acute Akathisia (813)
- G24.01** Tardive Dyskinesia (814)
- G24.09** Tardive Dystonia (816)
- G25.71** Tardive Akathisia (816)
- G25.1** Medication-Induced Postural Tremor (817)
- G25.79** Other Medication-Induced Movement Disorder (818)
- ____ Antidepressant Discontinuation Syndrome (818)
- T43.205A** Initial encounter
- T43.205D** Subsequent encounter
- T43.205S** Sequelae
- ____ Other Adverse Effect of Medication (819)
- T50.905A** Initial encounter
- T50.905D** Subsequent encounter
- T50.905S** Sequelae

Other Conditions That May Be a Focus of Clinical Attention (821)

Suicidal Behavior and Nonsuicidal Self-Injury (822)

Suicidal Behavior (822)

- ____ Current Suicidal Behavior (822)
- T14.91A** Initial encounter
- T14.91D** Subsequent encounter
- Z91.51** History of Suicidal Behavior (822)

Nonsuicidal Self-Injury (822)

- R45.88** Current Nonsuicidal Self-Injury (822)
- Z91.52** History of Nonsuicidal Self-Injury (822)

Abuse and Neglect (822)**Child Maltreatment and Neglect Problems (823)****Child Physical Abuse (823)**

___ Child Physical Abuse, Confirmed (823)

T74.12XA Initial encounter

T74.12XD Subsequent encounter

___ Child Physical Abuse, Suspected (823)

T76.12XA Initial encounter

T76.12XD Subsequent encounter

___ Other Circumstances Related to Child Physical Abuse (823)

Z69.010 Encounter for mental health services for victim of child physical abuse by parent

Z69.020 Encounter for mental health services for victim of nonparental child physical abuse

Z62.810 Personal history (past history) of physical abuse in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child physical abuse

Z69.021 Encounter for mental health services for perpetrator of nonparental child physical abuse

Child Sexual Abuse (823)

___ Child Sexual Abuse, Confirmed (824)

T74.22XA Initial encounter

T74.22XD Subsequent encounter

___ Child Sexual Abuse, Suspected (824)

T76.22XA Initial encounter

T76.22XD Subsequent encounter

___ Other Circumstances Related to Child Sexual Abuse (824)

Z69.010 Encounter for mental health services for victim of child sexual abuse by parent

Z69.020 Encounter for mental health services for victim of nonparental child sexual abuse

Z62.810 Personal history (past history) of sexual abuse in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child sexual abuse

Z69.021 Encounter for mental health services for perpetrator of nonparental child sexual abuse

Ixiv

DSM-5-TR Classification

Child Neglect (824)

___ Child Neglect, Confirmed (824)

T74.02XA Initial encounter**T74.02XD** Subsequent encounter

___ Child Neglect, Suspected (824)

T76.02XA Initial encounter**T76.02XD** Subsequent encounter

___ Other Circumstances Related to Child Neglect (824)

Z69.010 Encounter for mental health services for victim of child neglect by parent**Z69.020** Encounter for mental health services for victim of nonparental child neglect**Z62.812** Personal history (past history) of neglect in childhood**Z69.011** Encounter for mental health services for perpetrator of parental child neglect**Z69.021** Encounter for mental health services for perpetrator of nonparental child neglect**Child Psychological Abuse (825)**

___ Child Psychological Abuse, Confirmed (825)

T74.32XA Initial encounter**T74.32XD** Subsequent encounter

___ Child Psychological Abuse, Suspected (825)

T76.32XA Initial encounter**T76.32XD** Subsequent encounter

___ Other Circumstances Related to Child Psychological Abuse (825)

Z69.010 Encounter for mental health services for victim of child psychological abuse by parent**Z69.020** Encounter for mental health services for victim of nonparental child psychological abuse**Z62.811** Personal history (past history) of psychological abuse in childhood**Z69.011** Encounter for mental health services for perpetrator of parental child psychological abuse**Z69.021** Encounter for mental health services for perpetrator of nonparental child psychological abuse**Adult Maltreatment and Neglect Problems (825)****Spouse or Partner Violence, Physical (825)**

___ Spouse or Partner Violence, Physical, Confirmed (825)

T74.11XA Initial encounter**T74.11XD** Subsequent encounter

—.— Spouse or Partner Violence, Physical, Suspected (826)**T76.11XA** Initial encounter**T76.11XD** Subsequent encounter**—.— Other Circumstances Related to Spouse or Partner Violence, Physical (826)****Z69.11** Encounter for mental health services for victim of spouse or partner violence, physical**Z91.410** Personal history (past history) of spouse or partner violence, physical**Z69.12** Encounter for mental health services for perpetrator of spouse or partner violence, physical**Spouse or Partner Violence, Sexual (826)****—.— Spouse or Partner Violence, Sexual, Confirmed (826)****T74.21XA** Initial encounter**T74.21XD** Subsequent encounter**—.— Spouse or Partner Violence, Sexual, Suspected (826)****T76.21XA** Initial encounter**T76.21XD** Subsequent encounter**—.— Other Circumstances Related to Spouse or Partner Violence, Sexual (826)****Z69.81** Encounter for mental health services for victim of spouse or partner violence, sexual**Z91.410** Personal history (past history) of spouse or partner violence, sexual**Z69.12** Encounter for mental health services for perpetrator of spouse or partner violence, sexual**Spouse or Partner Neglect (826)****—.— Spouse or Partner Neglect, Confirmed (826)****T74.01XA** Initial encounter**T74.01XD** Subsequent encounter**—.— Spouse or Partner Neglect, Suspected (827)****T76.01XA** Initial encounter**T76.01XD** Subsequent encounter**—.— Other Circumstances Related to Spouse or Partner Neglect (827)****Z69.11** Encounter for mental health services for victim of spouse or partner neglect**Z91.412** Personal history (past history) of spouse or partner neglect**Z69.12** Encounter for mental health services for perpetrator of spouse or partner neglect**Spouse or Partner Abuse, Psychological (827)****—.— Spouse or Partner Abuse, Psychological, Confirmed (827)****T74.31XA** Initial encounter**T74.31XD** Subsequent encounter

- ____ Spouse or Partner Abuse, Psychological, Suspected (827)
- T76.31XA** Initial encounter
- T76.31XD** Subsequent encounter
- ____ Other Circumstances Related to Spouse or Partner Abuse, Psychological (827)
- Z69.11** Encounter for mental health services for victim of spouse or partner psychological abuse
- Z91.411** Personal history (past history) of spouse or partner psychological abuse
- Z69.12** Encounter for mental health services for perpetrator of spouse or partner psychological abuse
- Adult Abuse by Nonspouse or Nonpartner (827)**
- ____ Adult Physical Abuse by Nonspouse or Nonpartner, Confirmed (828)
- T74.11XA** Initial encounter
- T74.11XD** Subsequent encounter
- ____ Adult Physical Abuse by Nonspouse or Nonpartner, Suspected (828)
- T76.11XA** Initial encounter
- T76.11XD** Subsequent encounter
- ____ Adult Sexual Abuse by Nonspouse or Nonpartner, Confirmed (828)
- T74.21XA** Initial encounter
- T74.21XD** Subsequent encounter
- ____ Adult Sexual Abuse by Nonspouse or Nonpartner, Suspected (828)
- T76.21XA** Initial encounter
- T76.21XD** Subsequent encounter
- ____ Adult Psychological Abuse by Nonspouse or Nonpartner, Confirmed (828)
- T74.31XA** Initial encounter
- T74.31XD** Subsequent encounter
- ____ Adult Psychological Abuse by Nonspouse or Nonpartner, Suspected (828)
- T76.31XA** Initial encounter
- T76.31XD** Subsequent encounter
- ____ Other Circumstances Related to Adult Abuse by Nonspouse or Nonpartner (828)
- Z69.81** Encounter for mental health services for victim of nonspousal or nonpartner adult abuse
- Z69.82** Encounter for mental health services for perpetrator of nonspousal or nonpartner adult abuse

Relational Problems (828)

- ____ Parent-Child Relational Problem (829)
- Z62.820** Parent-Biological Child (829)
- Z62.821** Parent-Adopted Child (829)

- Z62.822** Parent–Foster Child (829)
- Z62.898** Other Caregiver–Child (829)
- Z62.891** Sibling Relational Problem (829)
- Z63.0** Relationship Distress With Spouse or Intimate Partner (829)

Problems Related to the Family Environment (829)

- Z62.29** Upbringing Away From Parents (829)
- Z62.898** Child Affected by Parental Relationship Distress (830)
- Z63.5** Disruption of Family by Separation or Divorce (830)
- Z63.8** High Expressed Emotion Level Within Family (830)

Educational Problems (830)

- Z55.0** Illiteracy and Low-Level Literacy (830)
- Z55.1** Schooling Unavailable and Unattainable (830)
- Z55.2** Failed School Examinations (830)
- Z55.3** Underachievement in School (830)
- Z55.4** Educational Maladjustment and Discord With Teachers and Classmates (830)
- Z55.8** Problems Related to Inadequate Teaching (830)
- Z55.9** Other Problems Related to Education and Literacy (830)

Occupational Problems (830)

- Z56.82** Problem Related to Current Military Deployment Status (830)
- Z56.0** Unemployment (831)
- Z56.1** Change of Job (831)
- Z56.2** Threat of Job Loss (831)
- Z56.3** Stressful Work Schedule (831)
- Z56.4** Discord With Boss and Workmates (831)
- Z56.5** Uncongenial Work Environment (831)
- Z56.6** Other Physical and Mental Strain Related to Work (831)
- Z56.81** Sexual Harassment on the Job (831)
- Z56.9** Other Problem Related to Employment (831)

Housing Problems (831)

- Z59.01** Sheltered Homelessness (831)
- Z59.02** Unsheltered Homelessness (831)
- Z59.1** Inadequate Housing (831)
- Z59.2** Discord With Neighbor, Lodger, or Landlord (831)
- Z59.3** Problem Related to Living in a Residential Institution (831)
- Z59.9** Other Housing Problem (831)

I xviii

DSM-5-TR Classification

Economic Problems (831)

- Z59.41** Food Insecurity (832)
- Z58.6** Lack of Safe Drinking Water (832)
- Z59.5** Extreme Poverty (832)
- Z59.6** Low Income (832)
- Z59.7** Insufficient Social or Health Insurance or Welfare Support (832)
- Z59.9** Other Economic Problem (832)

Problems Related to the Social Environment (832)

- Z60.2** Problem Related to Living Alone (832)
- Z60.3** Acculturation Difficulty (832)
- Z60.4** Social Exclusion or Rejection (832)
- Z60.5** Target of (Perceived) Adverse Discrimination or Persecution (832)
- Z60.9** Other Problem Related to Social Environment (832)

Problems Related to Interaction With the Legal System (832)

- Z65.0** Conviction in Criminal Proceedings Without Imprisonment (833)
- Z65.1** Imprisonment or Other Incarceration (833)
- Z65.2** Problems Related to Release From Prison (833)
- Z65.3** Problems Related to Other Legal Circumstances (833)

Problems Related to Other Psychosocial, Personal, and Environmental Circumstances (833)

- Z72.9** Problem Related to Lifestyle (833)
- Z64.0** Problems Related to Unwanted Pregnancy (833)
- Z64.1** Problems Related to Multiparity (833)
- Z64.4** Discord With Social Service Provider, Including Probation Officer, Case Manager, or Social Services Worker (833)
- Z65.4** Victim of Crime (833)
- Z65.4** Victim of Terrorism or Torture (833)
- Z65.5** Exposure to Disaster, War, or Other Hostilities (833)

Problems Related to Access to Medical and Other Health Care (833)

- Z75.3** Unavailability or Inaccessibility of Health Care Facilities (833)
- Z75.4** Unavailability or Inaccessibility of Other Helping Agencies (833)

Circumstances of Personal History (833)

- Z91.49** Personal History of Psychological Trauma (833)
- Z91.82** Personal History of Military Deployment (833)

Other Health Service Encounters for Counseling and Medical Advice (833)

- Z31.5** Genetic Counseling (833)
- Z70.9** Sex Counseling (834)
- Z71.3** Dietary Counseling (834)
- Z71.9** Other Counseling or Consultation (834)

Additional Conditions or Problems That May Be a Focus of Clinical Attention (834)

- Z91.83** Wandering Associated With a Mental Disorder (834)
- Z63.4** Uncomplicated Bereavement (834)
- Z60.0** Phase of Life Problem (834)
- Z65.8** Religious or Spiritual Problem (834)
- Z72.811** Adult Antisocial Behavior (835)
- Z72.810** Child or Adolescent Antisocial Behavior (835)
- Z91.19** Nonadherence to Medical Treatment (835)
- E66.9** Overweight or Obesity (835)
- Z76.5** Malingering (835)
- R41.81** Age-Related Cognitive Decline (835)
- R41.83** Borderline Intellectual Functioning (836)

Alphabetical Listing of DSM-5-TR Diagnoses and ICD-10-CM Codes

For periodic DSM-5-TR coding and other updates, see www.dsm5.org.

ICD-10-CM	Disorder, condition, or problem
Z60.3	Acculturation difficulty
F43.0	Acute stress disorder
	Adjustment disorders
F43.22	With anxiety
F43.21	With depressed mood
F43.24	With disturbance of conduct
F43.23	With mixed anxiety and depressed mood
F43.25	With mixed disturbance of emotions and conduct
F43.20	Unspecified
Z72.811	Adult antisocial behavior
F98.5	Adult-onset fluency disorder
	Adult physical abuse by nonspouse or nonpartner, Confirmed
T74.11XA	Initial encounter
T74.11XD	Subsequent encounter
	Adult physical abuse by nonspouse or nonpartner, Suspected
T76.11XA	Initial encounter
T76.11XD	Subsequent encounter
	Adult psychological abuse by nonspouse or nonpartner, Confirmed
T74.31XA	Initial encounter
T74.31XD	Subsequent encounter
	Adult psychological abuse by nonspouse or nonpartner, Suspected
T76.31XA	Initial encounter
T76.31XD	Subsequent encounter
	Adult sexual abuse by nonspouse or nonpartner, Confirmed
T74.21XA	Initial encounter
T74.21XD	Subsequent encounter
	Adult sexual abuse by nonspouse or nonpartner, Suspected
T76.21XA	Initial encounter
T76.21XD	Subsequent encounter
R41.81	Age-related cognitive decline
F40.00	Agoraphobia

ICD-10-CM	Disorder, condition, or problem
	Alcohol-induced anxiety disorder
F10.180	With mild use disorder
F10.280	With moderate or severe use disorder
F10.980	Without use disorder
	Alcohol-induced bipolar and related disorder
F10.14	With mild use disorder
F10.24	With moderate or severe use disorder
F10.94	Without use disorder
	Alcohol-induced depressive disorder
F10.14	With mild use disorder
F10.24	With moderate or severe use disorder
F10.94	Without use disorder
	Alcohol-induced major neurocognitive disorder, Amnestic-confabulatory type
F10.26	With moderate or severe use disorder
F10.96	Without use disorder
	Alcohol-induced major neurocognitive disorder, Nonamnestic-confabulatory type
F10.27	With moderate or severe use disorder
F10.97	Without use disorder
	Alcohol-induced mild neurocognitive disorder
F10.188	With mild use disorder
F10.288	With moderate or severe use disorder
F10.988	Without use disorder
	Alcohol-induced psychotic disorder
F10.159	With mild use disorder
F10.259	With moderate or severe use disorder
F10.959	Without use disorder
	Alcohol-induced sexual dysfunction
F10.181	With mild use disorder
F10.281	With moderate or severe use disorder
F10.981	Without use disorder
	Alcohol-induced sleep disorder
F10.182	With mild use disorder
F10.282	With moderate or severe use disorder
F10.982	Without use disorder
	Alcohol intoxication
F10.120	With mild use disorder
F10.220	With moderate or severe use disorder
F10.920	Without use disorder
	Alcohol intoxication delirium
F10.121	With mild use disorder
F10.221	With moderate or severe use disorder
F10.921	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Alcohol use disorder
F10.10	Mild
F10.11	In early remission
F10.11	In sustained remission
F10.20	Moderate
F10.21	In early remission
F10.21	In sustained remission
F10.20	Severe
F10.21	In early remission
F10.21	In sustained remission
	Alcohol withdrawal, With perceptual disturbances
F10.132	With mild use disorder
F10.232	With moderate or severe use disorder
F10.932	Without use disorder
	Alcohol withdrawal, Without perceptual disturbances
F10.130	With mild use disorder
F10.230	With moderate or severe use disorder
F10.930	Without use disorder
	Alcohol withdrawal delirium
F10.131	With mild use disorder
F10.231	With moderate or severe use disorder
F10.931	Without use disorder
F15.921	Amphetamine-type (or other stimulant) medication-induced delirium (amphetamine-type or other stimulant medication taken as prescribed)
	Amphetamine-type substance (or other stimulant)-induced anxiety disorder
F15.180	With mild use disorder
F15.280	With moderate or severe use disorder
F15.980	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced bipolar and related disorder
F15.14	With mild use disorder
F15.24	With moderate or severe use disorder
F15.94	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced depressive disorder
F15.14	With mild use disorder
F15.24	With moderate or severe use disorder
F15.94	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced mild neurocogni- tive disorder
F15.188	With mild use disorder
F15.288	With moderate or severe use disorder
F15.988	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Amphetamine-type substance (or other stimulant)-induced obsessive-compulsive and related disorder
F15.188	With mild use disorder
F15.288	With moderate or severe use disorder
F15.988	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced psychotic disorder
F15.159	With mild use disorder
F15.259	With moderate or severe use disorder
F15.959	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced sexual dysfunction
F15.181	With mild use disorder
F15.281	With moderate or severe use disorder
F15.981	Without use disorder
	Amphetamine-type substance (or other stimulant)-induced sleep disorder
F15.182	With mild use disorder
F15.282	With moderate or severe use disorder
F15.982	Without use disorder
	Amphetamine-type substance intoxication
	Amphetamine-type substance intoxication, With perceptual disturbances
F15.122	With mild use disorder
F15.222	With moderate or severe use disorder
F15.922	Without use disorder
	Amphetamine-type substance intoxication, Without perceptual disturbances
F15.120	With mild use disorder
F15.220	With moderate or severe use disorder
F15.920	Without use disorder
	Amphetamine-type substance (or other stimulant) intoxication delirium
F15.121	With mild use disorder
F15.221	With moderate or severe use disorder
F15.921	Without use disorder
	Amphetamine-type substance use disorder
F15.10	Mild
F15.11	In early remission
F15.11	In sustained remission
F15.20	Moderate
F15.21	In early remission
F15.21	In sustained remission
F15.20	Severe
F15.21	In early remission
F15.21	In sustained remission
	Amphetamine-type substance withdrawal
F15.13	With mild use disorder
F15.23	With moderate or severe use disorder
F15.93	Without use disorder

ICD-10-CM	Disorder, condition, or problem
	Anorexia nervosa
F50.02	Binge-eating/purging type
F50.01	Restricting type
	Antidepressant discontinuation syndrome
T43.205A	Initial encounter
T43.205S	Sequelae
T43.205D	Subsequent encounter
G21.11	Antipsychotic medication- and other dopamine receptor blocking agent-induced parkinsonism
F60.2	Antisocial personality disorder
F06.4	Anxiety disorder due to another medical condition
	Attention-deficit/hyperactivity disorder
F90.2	Combined presentation
F90.1	Predominantly hyperactive/impulsive presentation
F90.0	Predominantly inattentive presentation
F84.0	Autism spectrum disorder
F60.6	Avoidant personality disorder
F50.82	Avoidant/restrictive food intake disorder
F50.81	Binge-eating disorder
	Bipolar I disorder, Current or most recent episode depressed
F31.76	In full remission
F31.75	In partial remission
F31.31	Mild
F31.32	Moderate
F31.4	Severe
F31.5	With psychotic features
F31.9	Unspecified
F31.0	Bipolar I disorder, Current or most recent episode hypomanic
F31.72	In full remission
F31.71	In partial remission
F31.9	Unspecified
	Bipolar I disorder, Current or most recent episode manic
F31.74	In full remission
F31.73	In partial remission
F31.11	Mild
F31.12	Moderate
F31.13	Severe
F31.2	With psychotic features
F31.9	Unspecified
F31.9	Bipolar I disorder, Current or most recent episode unspecified
F31.81	Bipolar II disorder
	Bipolar and related disorder due to another medical condition
F06.33	With manic features
F06.33	With manic- or hypomanic-like episode
F06.34	With mixed features

ICD-10-CM Disorder, condition, or problem

F45.22	Body dysmorphic disorder
R41.83	Borderline intellectual functioning
F60.3	Borderline personality disorder
F23	Brief psychotic disorder
F50.2	Bulimia nervosa
F15.980	Caffeine-induced anxiety disorder, Without use disorder
F15.982	Caffeine-induced sleep disorder, Without use disorder
F15.920	Caffeine intoxication
F15.93	Caffeine withdrawal
	Cannabis-induced anxiety disorder
F12.180	With mild use disorder
F12.280	With moderate or severe use disorder
F12.980	Without use disorder
	Cannabis-induced psychotic disorder
F12.159	With mild use disorder
F12.259	With moderate or severe use disorder
F12.959	Without use disorder
	Cannabis-induced sleep disorder
F12.188	With mild use disorder
F12.288	With moderate or severe use disorder
F12.988	Without use disorder
	Cannabis intoxication, With perceptual disturbances
F12.122	With mild use disorder
F12.222	With moderate or severe use disorder
F12.922	Without use disorder
	Cannabis intoxication, Without perceptual disturbances
F12.120	With mild use disorder
F12.220	With moderate or severe use disorder
F12.920	Without use disorder
	Cannabis intoxication delirium
F12.121	With mild use disorder
F12.221	With moderate or severe use disorder
F12.921	Without use disorder
F12.921	Cannabis receptor agonist-induced delirium, pharmaceutical (medication taken as prescribed)
	Cannabis use disorder
F12.10	Mild
F12.11	In early remission
F12.11	In sustained remission
F12.20	Moderate
F12.21	In early remission
F12.21	In sustained remission
F12.20	Severe
F12.21	In early remission
F12.21	In sustained remission

ICD-10-CM Disorder, condition, or problem

	Cannabis withdrawal
F12.13	With mild use disorder
F12.23	With moderate or severe use disorder
F12.93	Without use disorder
F06.1	Catatonia associated with another mental disorder (catatonia specifier)
F06.1	Catatonic disorder due to another medical condition
	Central sleep apnea
G47.37	Central sleep apnea comorbid with opioid use
R06.3	Cheyne-Stokes breathing
G47.31	Idiopathic central sleep apnea
Z56.1	Change of job
Z72.810	Child or adolescent antisocial behavior
Z62.898	Child affected by parental relationship distress
F80.81	Childhood-onset fluency disorder (stuttering)
	Child neglect, Confirmed
T74.02XA	Initial encounter
T74.02XD	Subsequent encounter
	Child neglect, Suspected
T76.02XA	Initial encounter
T76.02XD	Subsequent encounter
	Child physical abuse, Confirmed
T74.12XA	Initial encounter
T74.12XD	Subsequent encounter
	Child physical abuse, Suspected
T76.12XA	Initial encounter
T76.12XD	Subsequent encounter
	Child psychological abuse, Confirmed
T74.32XA	Initial encounter
T74.32XD	Subsequent encounter
	Child psychological abuse, Suspected
T76.32XA	Initial encounter
T76.32XD	Subsequent encounter
	Child sexual abuse, Confirmed
T74.22XA	Initial encounter
T74.22XD	Subsequent encounter
	Child sexual abuse, Suspected
T76.22XA	Initial encounter
T76.22XD	Subsequent encounter
	Circadian rhythm sleep-wake disorders
G47.22	Advanced sleep phase type
G47.21	Delayed sleep phase type
G47.23	Irregular sleep-wake type
G47.24	Non-24-hour sleep-wake type
G47.26	Shift work type
G47.20	Unspecified type

ICD-10-CM Disorder, condition, or problem

	Cocaine-induced anxiety disorder
F14.180	With mild use disorder
F14.280	With moderate or severe use disorder
F14.980	Without use disorder
	Cocaine-induced bipolar and related disorder
F14.14	With mild use disorder
F14.24	With moderate or severe use disorder
F14.94	Without use disorder
	Cocaine-induced depressive disorder
F14.14	With mild use disorder
F14.24	With moderate or severe use disorder
F14.94	Without use disorder
	Cocaine-induced mild neurocognitive disorder
F14.188	With mild use disorder
F14.288	With moderate or severe use disorder
F14.988	Without use disorder
	Cocaine-induced obsessive-compulsive and related disorder
F14.188	With mild use disorder
F14.288	With moderate or severe use disorder
F14.988	Without use disorder
	Cocaine-induced psychotic disorder
F14.159	With mild use disorder
F14.259	With moderate or severe use disorder
F14.959	Without use disorder
	Cocaine-induced sexual dysfunction
F14.181	With mild use disorder
F14.281	With moderate or severe use disorder
F14.981	Without use disorder
	Cocaine-induced sleep disorder
F14.182	With mild use disorder
F14.282	With moderate or severe use disorder
F14.982	Without use disorder
	Cocaine intoxication, With perceptual disturbances
F14.122	With mild use disorder
F14.222	With moderate or severe use disorder
F14.922	Without use disorder
	Cocaine intoxication, Without perceptual disturbances
F14.120	With mild use disorder
F14.220	With moderate or severe use disorder
F14.920	Without use disorder
	Cocaine intoxication delirium
F14.121	With mild use disorder
F14.221	With moderate or severe use disorder
F14.921	Without use disorder

ICD-10-CM	Disorder, condition, or problem
	Cocaine use disorder
F14.10	Mild
F14.11	In early remission
F14.11	In sustained remission
F14.20	Moderate
F14.21	In early remission
F14.21	In sustained remission
F14.20	Severe
F14.21	In early remission
F14.21	In sustained remission
	Cocaine withdrawal
F14.13	With mild use disorder
F14.23	With moderate or severe use disorder
F14.93	Without use disorder
	Conduct disorder
F91.2	Adolescent-onset type
F91.1	Childhood-onset type
F91.9	Unspecified onset
	Conversion disorder (<i>see</i> Functional neurological symptom disorder)
Z65.0	Conviction in civil or criminal proceedings without imprisonment
R45.88	Current nonsuicidal self-injury
	Current suicidal behavior
T14.91A	Initial encounter
T14.91D	Subsequent encounter
F34.0	Cyclothymic disorder
F52.32	Delayed ejaculation
	Delirium
F05	Delirium due to another medical condition
F05	Delirium due to multiple etiologies
	Medication-induced delirium (<i>for</i> ICD-10-CM codes, <i>see</i> specific substances)
	Substance intoxication delirium (<i>see</i> specific substances <i>for</i> codes)
	Substance withdrawal delirium (<i>see</i> specific substances <i>for</i> codes)
F22	Delusional disorder
F60.7	Dependent personality disorder
F48.1	Depersonalization/derealization disorder
	Depressive disorder due to another medical condition
F06.31	With depressive features
F06.32	With major depressive-like episode
F06.34	With mixed features
F82	Developmental coordination disorder
Z71.3	Dietary counseling
Z56.4	Discord with boss and workmates
Z59.2	Discord with neighbor, lodger, or landlord
Z64.4	Discord with social service provider, including probation officer, case manager, or social services worker

ICD-10-CM Disorder, condition, or problem

F94.2	Disinhibited social engagement disorder
Z63.5	Disruption of family by separation or divorce
F34.81	Disruptive mood dysregulation disorder
F44.0	Dissociative amnesia
F44.1	Dissociative amnesia, with dissociative fugue
F44.81	Dissociative identity disorder
Z55.4	Educational maladjustment and discord with teachers and classmates
F98.1	Encopresis
F98.0	Enuresis
F52.21	Erectile disorder
F42.4	Excoriation (skin-picking) disorder
F65.2	Exhibitionistic disorder
Z65.5	Exposure to disaster, war, or other hostilities
Z59.5	Extreme poverty
F68.A	Factitious disorder imposed on another
F68.10	Factitious disorder imposed on self
Z55.2	Failed school examination
F52.31	Female orgasmic disorder
F52.22	Female sexual interest/arousal disorder
F65.0	Fetishistic disorder
F59.41	Food insecurity
F65.81	Frotteuristic disorder
	Functional neurological symptom disorder (conversion disorder)
F44.4	With abnormal movement
F44.6	With anesthesia or sensory loss
F44.5	With attacks or seizures
F44.7	With mixed symptoms
F44.6	With special sensory symptom
F44.4	With speech symptom
F44.4	With swallowing symptoms
F44.4	With weakness/paralysis
F63.0	Gambling disorder
F64.0	Gender dysphoria in adolescents and adults
F64.2	Gender dysphoria in children
F41.1	Generalized anxiety disorder
Z31.5	Genetic counseling
F52.6	Genito-pelvic pain/penetration disorder
F88	Global developmental delay
F16.983	Hallucinogen persisting perception disorder
	<i>For additional hallucinogen-related substance disorders and hallucinogen-induced mental disorders, see entries for Other hallucinogen and Phencyclidine</i>
Z63.8	High expressed emotion level within family
Z91.52	History of nonsuicidal self-injury
Z91.51	History of suicidal behavior
F60.4	Histrionic personality disorder

ICD-10-CM Disorder, condition, or problem

F42.3	Hoarding disorder
Z59.01	Homelessness, sheltered
Z59.02	Homelessness, unsheltered
F51.11	Hypersomnolence disorder
Z55.0	Illiteracy and low-level literacy
F45.21	Illness anxiety disorder
Z65.1	Imprisonment or other incarceration
Z59.1	Inadequate housing
	Inhalant-induced anxiety disorder
F18.180	With mild use disorder
F18.280	With moderate or severe use disorder
F18.980	Without use disorder
	Inhalant-induced depressive disorder
F18.14	With mild use disorder
F18.24	With moderate or severe use disorder
F18.94	Without use disorder
	Inhalant-induced major neurocognitive disorder
F18.17	With mild use disorder
F18.27	With moderate or severe use disorder
F18.97	Without use disorder
	Inhalant-induced mild neurocognitive disorder
F18.188	With mild use disorder
F18.288	With moderate or severe use disorder
F18.988	Without use disorder
	Inhalant-induced psychotic disorder
F18.159	With mild use disorder
F18.259	With moderate or severe use disorder
F18.959	Without use disorder
	Inhalant intoxication
F18.120	With mild use disorder
F18.220	With moderate or severe use disorder
F18.920	Without use disorder
	Inhalant intoxication delirium
F18.121	With mild use disorder
F18.221	With moderate or severe use disorder
F18.921	Without use disorder
	Inhalant use disorder
F18.10	Mild
F18.11	In early remission
F18.11	In sustained remission
F18.20	Moderate
F18.21	In early remission
F18.21	In sustained remission
F18.20	Severe
F18.21	In early remission
F18.21	In sustained remission

ICD-10-CM	Disorder, condition, or problem
F51.01	Insomnia disorder
Z59.7	Insufficient social or health insurance or welfare support
	Intellectual developmental disorder (intellectual disability)
F70	Mild
F71	Moderate
F72	Severe
F73	Profound
F63.81	Intermittent explosive disorder
F16.921	Ketamine or other hallucinogen-induced delirium (ketamine or other hallucinogen medication taken as prescribed or for medical reasons)
F63.2	Kleptomania
Z58.6	Lack of safe drinking water
F80.2	Language disorder
Z59.6	Low income
	Major depressive disorder, Recurrent episode
F33.42	In full remission
F33.41	In partial remission
F33.0	Mild
F33.1	Moderate
F33.2	Severe
F33.3	With psychotic features
F33.9	Unspecified
	Major depressive disorder, Single episode
F32.5	In full remission
F32.4	In partial remission
F32.0	Mild
F32.1	Moderate
F32.2	Severe
F32.3	With psychotic features
F32.9	Unspecified
	Major neurocognitive disorder due to another medical condition
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder due to HIV infection (<i>code first</i> B20 HIV infection)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder due to Huntington's disease (<i>code first</i> G10 Huntington's disease)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder due to multiple etiologies
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance

ICD-10-CM Disorder, condition, or problem

	Major neurocognitive disorder due to possible Alzheimer's disease (<i>code first</i> G30.9 Alzheimer's disease)
	Major neurocognitive disorder due to probable Alzheimer's disease (<i>code first</i> G30.9 Alzheimer's disease)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder due to possible frontotemporal degeneration (<i>code first</i> G31.09 frontotemporal degeneration)
	Major neurocognitive disorder due to probable frontotemporal degeneration (<i>code first</i> G31.09 frontotemporal degeneration)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder with possible Lewy bodies (<i>code first</i> G31.83 Lewy body disease)
	Major neurocognitive disorder with probable Lewy bodies (<i>code first</i> G31.83 Lewy body disease)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder possibly due to Parkinson's disease (<i>code first</i> G20 Parkinson's disease)
	Major neurocognitive disorder probably due to Parkinson's disease (<i>code first</i> G20 Parkinson's disease)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder possibly due to vascular disease
	Major neurocognitive disorder probably due to vascular disease
F01.51	With behavioral disturbance
F01.50	Without behavioral disturbance
	Major neurocognitive disorder due to prion disease (<i>code first</i> A81.9 prion disease)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
	Major neurocognitive disorder due to traumatic brain injury (<i>code first</i> S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela)
F02.81	With behavioral disturbance
F02.80	Without behavioral disturbance
F52.0	Male hypoactive sexual desire disorder
Z76.5	Malingering
G25.71	Medication-induced acute akathisia
G24.02	Medication-induced acute dystonia
	Medication-induced delirium (<i>for ICD-10-CM codes, see specific substances</i>)
G25.1	Medication-induced postural tremor
G31.84	Mild frontotemporal neurocognitive disorder
G31.84	Mild neurocognitive disorder due to Alzheimer's disease

ICD-10-CM Disorder, condition, or problem

G31.84	Mild neurocognitive disorder due to another medical condition
G31.84	Mild neurocognitive disorder due to HIV infection
G31.84	Mild neurocognitive disorder due to Huntington's disease
G31.84	Mild neurocognitive disorder with Lewy bodies
G31.84	Mild neurocognitive disorder due to multiple etiologies
G31.84	Mild neurocognitive disorder due to Parkinson's disease
G31.84	Mild neurocognitive disorder due to prion disease
G31.84	Mild neurocognitive disorder due to traumatic brain injury
G31.84	Mild vascular neurocognitive disorder
F60.81	Narcissistic personality disorder
	Narcolepsy
G47.411	Narcolepsy with cataplexy or hypocretin deficiency (type 1)
G47.421	Narcolepsy with cataplexy or hypocretin deficiency due to a medical condition
G47.419	Narcolepsy without cataplexy and either without hypocretin deficiency or hypocretin unmeasured (type 2)
G47.429	Narcolepsy without cataplexy and without hypocretin deficiency due to a medical condition
G21.0	Neuroleptic malignant syndrome
F51.5	Nightmare disorder
Z03.89	No diagnosis or condition
Z91.19	Nonadherence to medical treatment
	Non-rapid eye movement sleep arousal disorders
F51.4	Sleep terror type
F51.3	Sleepwalking type
R45.88	Nonsuicidal self-injury, current
Z91.52	Nonsuicidal self-injury, history of
F42.2	Obsessive-compulsive disorder
F60.5	Obsessive-compulsive personality disorder
F06.8	Obsessive-compulsive and related disorder due to another medical condition
G47.33	Obstructive sleep apnea hypopnea
	Opioid-induced anxiety disorder
F11.188	With mild use disorder
F11.288	With moderate or severe use disorder
F11.988	Without use disorder
F11.921	Opioid-induced delirium (opioid medication taken as prescribed)
F11.988	Opioid-induced delirium (during withdrawal from opioid medication taken as prescribed)
	Opioid-induced depressive disorder
F11.14	With mild use disorder
F11.24	With moderate or severe use disorder
F11.94	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Opioid-induced sexual dysfunction
F11.181	With mild use disorder
F11.281	With moderate or severe use disorder
F11.981	Without use disorder
	Opioid-induced sleep disorder
F11.182	With mild use disorder
F11.282	With moderate or severe use disorder
F11.982	Without use disorder
	Opioid intoxication, With perceptual disturbances
F11.122	With mild use disorder
F11.222	With moderate or severe use disorder
F11.922	Without use disorder
	Opioid intoxication, Without perceptual disturbances
F11.120	With mild use disorder
F11.220	With moderate or severe use disorder
F11.920	Without use disorder
	Opioid intoxication delirium
F11.121	With mild use disorder
F11.221	With moderate or severe use disorder
F11.921	Without use disorder
	Opioid use disorder
F11.10	Mild
F11.11	In early remission
F11.11	In sustained remission
F11.20	Moderate
F11.21	In early remission
F11.21	In sustained remission
F11.20	Severe
F11.21	In early remission
F11.21	In sustained remission
	Opioid withdrawal
F11.13	With mild use disorder
F11.23	With moderate or severe use disorder
F11.93	Without use disorder
	Opioid withdrawal delirium
F11.188	With mild use disorder
F11.288	With moderate or severe use disorder
F11.988	Without use disorder
F91.3	Oppositional defiant disorder
	Other adverse effect of medication
T50.905A	Initial encounter
T50.905S	Sequelae
T50.905D	Subsequent encounter

ICD-10-CM	Disorder, condition, or problem
	<i>Other circumstances related to adult abuse by nonspouse or nonpartner</i>
Z69.82	Encounter for mental health services for perpetrator of nonspousal or nonpartner adult abuse
Z69.81	Encounter for mental health services for victim of nonspousal or nonpartner adult abuse
	<i>Other circumstances related to child neglect</i>
Z69.021	Encounter for mental health services for perpetrator of nonparental child neglect
Z69.011	Encounter for mental health services for perpetrator of parental child neglect
Z69.010	Encounter for mental health services for victim of child neglect by parent
Z69.020	Encounter for mental health services for victim of nonparental child neglect
Z62.812	Personal history (past history) of neglect in childhood
	<i>Other circumstances related to child physical abuse</i>
Z69.021	Encounter for mental health services for perpetrator of nonparental child physical abuse
Z69.011	Encounter for mental health services for perpetrator of parental child physical abuse
Z69.010	Encounter for mental health services for victim of child physical abuse by parent
Z69.020	Encounter for mental health services for victim of nonparental child physical abuse
Z62.810	Personal history (past history) of physical abuse in childhood
	<i>Other circumstances related to child psychological abuse</i>
Z69.021	Encounter for mental health services for perpetrator of nonparental child psychological abuse
Z69.011	Encounter for mental health services for perpetrator of parental child psychological abuse
Z69.010	Encounter for mental health services for victim of child psychological abuse by parent
Z69.020	Encounter for mental health services for victim of nonparental child psychological abuse
Z62.811	Personal history (past history) of psychological abuse in childhood
	<i>Other circumstances related to child sexual abuse</i>
Z69.021	Encounter for mental health services for perpetrator of nonparental child sexual abuse
Z69.011	Encounter for mental health services for perpetrator of parental child sexual abuse
Z69.010	Encounter for mental health services for victim of child sexual abuse by parent
Z69.020	Encounter for mental health services for victim of nonparental child sexual abuse
Z62.810	Personal history (past history) of sexual abuse in childhood
	<i>Other circumstances related to spouse or partner abuse, Psychological</i>
Z69.12	Encounter for mental health services for perpetrator of spouse or partner psychological abuse
Z69.11	Encounter for mental health services for victim of spouse or partner psychological abuse
Z91.411	Personal history (past history) of spouse or partner psychological abuse

ICD-10-CM Disorder, condition, or problem

	<i>Other circumstances related to spouse or partner neglect</i>
Z69.12	Encounter for mental health services for perpetrator of spouse or partner neglect
Z69.11	Encounter for mental health services for victim of spouse or partner neglect
Z91.412	Personal history (past history) of spouse or partner neglect
	<i>Other circumstances related to spouse or partner violence, Physical</i>
Z69.12	Encounter for mental health services for perpetrator of spouse or partner violence, Physical
Z69.11	Encounter for mental health services for victim of spouse or partner violence, Physical
Z91.410	Personal history (past history) of spouse or partner violence, Physical
	<i>Other circumstances related to spouse or partner violence, Sexual</i>
Z69.12	Encounter for mental health services for perpetrator of spouse or partner violence, Sexual
Z69.81	Encounter for mental health services for victim of spouse or partner violence, Sexual
Z91.410	Personal history (past history) of spouse or partner violence, Sexual
Z71.9	Other counseling or consultation
Z59.9	Other economic problem
	Other hallucinogen-induced anxiety disorder
F16.180	With mild use disorder
F16.280	With moderate or severe use disorder
F16.980	Without use disorder
	Other hallucinogen-induced bipolar and related disorder
F16.14	With mild use disorder
F16.24	With moderate or severe use disorder
F16.94	Without use disorder
F16.921	Other hallucinogen-induced delirium (other hallucinogen medication taken as prescribed or for medical reasons)
	Other hallucinogen-induced depressive disorder
F16.14	With mild use disorder
F16.24	With moderate or severe use disorder
F16.94	Without use disorder
	Other hallucinogen-induced psychotic disorder
F16.159	With mild use disorder
F16.259	With moderate or severe use disorder
F16.959	Without use disorder
	Other hallucinogen intoxication
F16.120	With mild use disorder
F16.220	With moderate or severe use disorder
F16.920	Without use disorder
	Other hallucinogen intoxication delirium
F16.121	With mild use disorder
F16.221	With moderate or severe use disorder
F16.921	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Other hallucinogen use disorder
F16.10	Mild
F16.11	In early remission
F16.11	In sustained remission
F16.20	Moderate
F16.21	In early remission
F16.21	In sustained remission
F16.20	Severe
F16.21	In early remission
F16.21	In sustained remission
Z59.9	Other housing problem
G25.79	Other medication-induced movement disorder
G21.19	Other medication-induced parkinsonism
Z91.49	Other personal history of psychological trauma
Z91.89	Other personal risk factors
Z56.6	Other physical and mental strain related to work
Z56.9	Other problem related to employment
Z60.9	Other problem related to social environment
Z55.9	Other problems related to education and literacy
F41.8	Other specified anxiety disorder
F90.8	Other specified attention-deficit/hyperactivity disorder
F31.89	Other specified bipolar and related disorder
R41.0	Other specified delirium
F32.89	Other specified depressive disorder
F91.8	Other specified disruptive, impulse-control, and conduct disorder
F44.89	Other specified dissociative disorder
	Other specified elimination disorder
R15.9	With fecal symptoms
N39.498	With urinary symptoms
F50.89	Other specified feeding or eating disorder
F64.8	Other specified gender dysphoria
G47.19	Other specified hypersomnolence disorder
G47.09	Other specified insomnia disorder
F99	Other specified mental disorder
F06.8	Other specified mental disorder due to another medical condition
F88	Other specified neurodevelopmental disorder
F42.8	Other specified obsessive-compulsive and related disorder
F65.89	Other specified paraphilic disorder
F60.89	Other specified personality disorder
F28	Other specified schizophrenia spectrum and other psychotic disorder
F52.8	Other specified sexual dysfunction
G47.8	Other specified sleep-wake disorder
F45.8	Other specified somatic symptom and related disorder
F95.8	Other specified tic disorder
F43.8	Other specified trauma- and stressor-related disorder

ICD-10-CM Disorder, condition, or problem

	Other stimulant intoxication, With perceptual disturbances
F15.122	With mild use disorder
F15.222	With moderate or severe use disorder
F15.922	Without use disorder
	Other stimulant intoxication, Without perceptual disturbances
F15.120	With mild use disorder
F15.220	With moderate or severe use disorder
F15.920	Without use disorder
	<i>See also</i> Other or unspecified stimulant use disorder
	Other stimulant withdrawal
F15.13	With mild use disorder
F15.23	With moderate or severe use disorder
F15.93	Without use disorder
F19.921	Other (or unknown) medication-induced delirium (other [or unknown] medication taken as prescribed)
F19.931	Other (or unknown) medication-induced delirium (during withdrawal from other [or unknown] medication taken as prescribed)
	Other (or unknown) substance-induced anxiety disorder
F19.180	With mild use disorder
F19.280	With moderate or severe use disorder
F19.980	Without use disorder
	Other (or unknown) substance-induced bipolar and related disorder
F19.14	With mild use disorder
F19.24	With moderate or severe use disorder
F19.94	Without use disorder
	Other (or unknown) substance-induced depressive disorder
F19.14	With mild use disorder
F19.24	With moderate or severe use disorder
F19.94	Without use disorder
	Other (or unknown) substance-induced major neurocognitive disorder
F19.17	With mild use disorder
F19.27	With moderate or severe use disorder
F19.97	Without use disorder
	Other (or unknown) substance-induced mild neurocognitive disorder
F19.188	With mild use disorder
F19.288	With moderate or severe use disorder
F19.988	Without use disorder
	Other (or unknown) substance-induced obsessive-compulsive and related disorder
F19.188	With mild use disorder
F19.288	With moderate or severe use disorder
F19.988	Without use disorder
	Other (or unknown) substance-induced psychotic disorder
F19.159	With mild use disorder
F19.259	With moderate or severe use disorder
F19.959	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Other (or unknown) substance-induced sexual dysfunction
F19.181	With mild use disorder
F19.281	With moderate or severe use disorder
F19.981	Without use disorder
	Other (or unknown) substance-induced sleep disorder
F19.182	With mild use disorder
F19.282	With moderate or severe use disorder
F19.982	Without use disorder
	Other (or unknown) substance intoxication, With perceptual disturbances
F19.122	With mild use disorder
F19.222	With moderate or severe use disorder
F19.922	Without use disorder
	Other (or unknown) substance intoxication, Without perceptual disturbances
F19.120	With mild use disorder
F19.220	With moderate or severe use disorder
F19.920	Without use disorder
	Other (or unknown) substance intoxication delirium
F19.121	With mild use disorder
F19.221	With moderate or severe use disorder
F19.921	Without use disorder
	Other (or unknown) substance use disorder
F19.10	Mild
F19.11	In early remission
F19.11	In sustained remission
F19.20	Moderate
F19.21	In early remission
F19.21	In sustained remission
F19.20	Severe
F19.21	In early remission
F19.21	In sustained remission
	Other (or unknown) substance withdrawal, With perceptual disturbances
F19.132	With mild use disorder
F19.232	With moderate or severe use disorder
F19.932	Without use disorder
	Other (or unknown) substance withdrawal, Without perceptual disturbances
F19.130	With mild use disorder
F19.230	With moderate or severe use disorder
F19.930	Without use disorder
	Other (or unknown) substance withdrawal delirium
F19.131	With mild use disorder
F19.231	With moderate or severe use disorder
F19.931	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Other or unspecified stimulant use disorder
F15.10	Mild
F15.11	In early remission
F15.11	In sustained remission
F15.20	Moderate
F15.21	In early remission
F15.21	In sustained remission
F15.20	Severe
F15.21	In early remission
F15.21	In sustained remission
E66.9	Overweight or obesity
<i>no code</i>	Panic attack specifier
F41.0	Panic disorder
F60.0	Paranoid personality disorder
	Parent-child relational problem
Z62.821	Parent-adopted child
Z62.820	Parent-biological child
Z62.822	Parent-foster child
Z62.898	Other caregiver-child
F65.4	Pedophilic disorder
F95.1	Persistent (chronic) motor or vocal tic disorder
F34.1	Persistent depressive disorder
Z91.82	Personal history of military deployment
Z91.49	Personal history of psychological trauma
F07.0	Personality change due to another medical condition
F12.921	Pharmaceutical cannabis receptor agonist-induced delirium (pharmaceutical cannabis receptor agonist medication taken as prescribed)
Z60.0	Phase of life problem
	Phencyclidine-induced anxiety disorder
F16.180	With mild use disorder
F16.280	With moderate or severe use disorder
F16.980	Without use disorder
	Phencyclidine-induced bipolar and related disorder
F16.14	With mild use disorder
F16.24	With moderate or severe use disorder
F16.94	Without use disorder
	Phencyclidine-induced depressive disorder
F16.14	With mild use disorder
F16.24	With moderate or severe use disorder
F16.94	Without use disorder
	Phencyclidine-induced psychotic disorder
F16.159	With mild use disorder
F16.259	With moderate or severe use disorder
F16.959	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Phencyclidine intoxication
F16.120	With mild use disorder
F16.220	With moderate or severe use disorder
F16.920	Without use disorder
	Phencyclidine intoxication delirium
F16.121	With mild use disorder
F16.221	With moderate or severe use disorder
F16.921	Without use disorder
	Phencyclidine use disorder
F16.10	Mild
F16.11	In early remission
F16.11	In sustained remission
F16.20	Moderate
F16.21	In early remission
F16.21	In sustained remission
F16.20	Severe
F16.21	In early remission
F16.21	In sustained remission
	Pica
F50.89	In adults
F98.3	In children
F43.10	Posttraumatic stress disorder
F52.4	Premature (early) ejaculation
F32.81	Premenstrual dysphoric disorder
Z56.82	Problem related to current military deployment status
Z72.9	Problem related to lifestyle
Z60.2	Problem related to living alone
Z59.3	Problem related to living in a residential institution
Z55.8	Problems related to inadequate teaching
Z64.1	Problems related to multiparity
Z65.3	Problems related to other legal circumstances
Z65.2	Problems related to release from prison
Z64.0	Problems related to unwanted pregnancy
F43.8	Prolonged grief disorder
F95.0	Provisional tic disorder
F54	Psychological factors affecting other medical conditions
	Psychotic disorder due to another medical condition
F06.2	With delusions
F06.0	With hallucinations
F63.1	Pyromania
G47.52	Rapid eye movement sleep behavior disorder
F94.1	Reactive attachment disorder
Z63.0	Relationship distress with spouse or intimate partner
Z65.8	Religious or spiritual problem

ICD-10-CM Disorder, condition, or problem

G25.81	Restless legs syndrome
F98.21	Rumination disorder
	Schizoaffective disorder
F25.0	Bipolar type
F25.1	Depressive type
F60.1	Schizoid personality disorder
F20.9	Schizophrenia
F20.81	Schizophreniform disorder
F21	Schizotypal personality disorder
Z55.1	Schooling unavailable and unattainable
	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder
F13.180	With mild use disorder
F13.280	With moderate or severe use disorder
F13.980	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder
F13.14	With mild use disorder
F13.24	With moderate or severe use disorder
F13.94	Without use disorder
F13.921	Sedative-, hypnotic-, or anxiolytic-induced delirium (sedative, hypnotic, or anxiolytic medication taken as prescribed)
F13.931	Sedative, hypnotic, or anxiolytic-induced delirium (during withdrawal from sedative, hypnotic, or anxiolytic medication taken as prescribed)
	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder
F13.14	With mild use disorder
F13.24	With moderate or severe use disorder
F13.94	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder
F13.27	With moderate or severe use disorder
F13.97	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder
F13.188	With mild use disorder
F13.288	With moderate or severe use disorder
F13.988	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder
F13.159	With mild use disorder
F13.259	With moderate or severe use disorder
F13.959	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction
F13.181	With mild use disorder
F13.281	With moderate or severe use disorder
F13.981	Without use disorder
	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder
F13.182	With mild use disorder
F13.282	With moderate or severe use disorder
F13.982	Without use disorder

ICD-10-CM Disorder, condition, or problem

	Sedative, hypnotic, or anxiolytic intoxication
F13.120	With mild use disorder
F13.220	With moderate or severe use disorder
F13.920	Without use disorder
	Sedative, hypnotic, or anxiolytic intoxication delirium
F13.121	With mild use disorder
F13.221	With moderate or severe use disorder
F13.921	Without use disorder
	Sedative, hypnotic, or anxiolytic use disorder
F13.10	Mild
F13.11	In early remission
F13.11	In sustained remission
F13.20	Moderate
F13.21	In early remission
F13.21	In sustained remission
F13.20	Severe
F13.21	In early remission
F13.21	In sustained remission
	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances
F13.132	With mild use disorder
F13.232	With moderate or severe use disorder
F13.932	Without use disorder
	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances
F13.130	With mild use disorder
F13.230	With moderate or severe use disorder
F13.930	Without use disorder
	Sedative, hypnotic, or anxiolytic withdrawal delirium
F13.131	With mild use disorder
F13.231	With moderate or severe use disorder
F13.931	Without use disorder
F94.0	Selective mutism
F93.0	Separation anxiety disorder
Z70.9	Sex counseling
Z56.81	Sexual harassment on the job
F65.51	Sexual masochism disorder
F65.52	Sexual sadism disorder
Z62.891	Sibling relational problem
	Sleep-related hypoventilation
G47.36	Comorbid sleep-related hypoventilation
G47.35	Congenital central alveolar hypoventilation
G47.34	Idiopathic hypoventilation
F40.10	Social anxiety disorder
Z60.4	Social exclusion or rejection
F80.82	Social (pragmatic) communication disorder

ICD-10-CM Disorder, condition, or problem

F45.1	Somatic symptom disorder
	Specific learning disorder
F81.2	With impairment in mathematics
F81.0	With impairment in reading
F81.81	With impairment in written expression
	Specific phobia
F40.218	Animal
	Blood-injection-injury
F40.230	Fear of blood
F40.231	Fear of injections and transfusions
F40.233	Fear of injury
F40.232	Fear of other medical care
F40.228	Natural environment
F40.298	Other
F40.248	Situational
F80.0	Speech sound disorder
	Spouse or partner abuse, Psychological, Confirmed
T74.31XA	Initial encounter
T74.31XD	Subsequent encounter
	Spouse or partner abuse, Psychological, Suspected
T76.31XA	Initial encounter
T76.31XD	Subsequent encounter
	Spouse or partner neglect, Confirmed
T74.01XA	Initial encounter
T74.01XD	Subsequent encounter
	Spouse or partner neglect, Suspected
T76.01XA	Initial encounter
T76.01XD	Subsequent encounter
	Spouse or partner violence, Physical, Confirmed
T74.11XA	Initial encounter
T74.11XD	Subsequent encounter
	Spouse or partner violence, Physical, Suspected
T76.11XA	Initial encounter
T76.11XD	Subsequent encounter
	Spouse or partner violence, Sexual, Confirmed
T74.21XA	Initial encounter
T74.21XD	Subsequent encounter
	Spouse or partner violence, Sexual, Suspected
T76.21XA	Initial encounter
T76.21XD	Subsequent encounter
F98.4	Stereotypic movement disorder
	Stimulant intoxication (<i>see amphetamine-type substance, cocaine, or other or unspecified stimulant intoxication for specific codes</i>)
	Stimulant use disorder (<i>see amphetamine-type substance, cocaine, or other or unspecified stimulant use disorder for specific codes</i>)

ICD-10-CM Disorder, condition, or problem

	Stimulant withdrawal (<i>see amphetamine-type substance, cocaine, or other or unspecified stimulant withdrawal for specific codes</i>)
Z56.3	Stressful work schedule
F80.81	Stuttering (childhood-onset fluency disorder)
	Substance intoxication delirium (<i>see specific substances for codes</i>)
	Substance withdrawal delirium (<i>see specific substances for codes</i>)
	Substance/medication-induced anxiety disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced bipolar and related disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced depressive disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced major or mild neurocognitive disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced obsessive-compulsive and related disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced psychotic disorder (<i>see specific substances for codes</i>)
	Substance/medication-induced sexual dysfunction (<i>see specific substances for codes</i>)
	Substance/medication-induced sleep disorder (<i>see specific substances for codes</i>)
	Suicidal behavior, current
T14.91A	Initial encounter
T14.91D	Subsequent encounter
Z91.51	Suicidal behavior, history of
G25.71	Tardive akathisia
G24.01	Tardive dyskinesia
G24.09	Tardive dystonia
Z60.5	Target of (perceived) adverse discrimination or persecution
Z56.2	Threat of job loss
	Tic disorders
F95.8	Other specified tic disorder
F95.1	Persistent (chronic) motor or vocal tic disorder
F95.0	Provisional tic disorder
F95.2	Tourette's disorder
F95.9	Unspecified tic disorder
F17.208	Tobacco-induced sleep disorder, With moderate or severe use disorder
	Tobacco use disorder
Z72.0	Mild
F17.200	Moderate
F17.201	In early remission
F17.201	In sustained remission
F17.200	Severe
F17.201	In early remission
F17.201	In sustained remission

ICD-10-CM Disorder, condition, or problem

F17.203	Tobacco withdrawal
F95.2	Tourette's disorder
F65.1	Transvestic disorder
F63.3	Trichotillomania (hair-pulling disorder)
Z75.3	Unavailability or inaccessibility of health care facilities
Z75.4	Unavailability or inaccessibility of other helping agencies
Z63.4	Uncomplicated bereavement
Z56.5	Uncongenial work environment
Z55.3	Underachievement in school
Z56.0	Unemployment
F10.99	Unspecified alcohol-related disorder
F41.9	Unspecified anxiety disorder
F90.9	Unspecified attention-deficit/hyperactivity disorder
F31.9	Unspecified bipolar and related disorder
F15.99	Unspecified caffeine-related disorder
F12.99	Unspecified cannabis-related disorder
F06.1	Unspecified catatonia (<i>code first</i> R29.818 other symptoms involving nervous and musculoskeletal systems)
F80.9	Unspecified communication disorder
R41.0	Unspecified delirium
F32.A	Unspecified depressive disorder
F91.9	Unspecified disruptive, impulse-control, and conduct disorder
F44.9	Unspecified dissociative disorder
	Unspecified elimination disorder
R15.9	With fecal symptoms
R32	With urinary symptoms
F50.9	Unspecified feeding or eating disorder
F64.9	Unspecified gender dysphoria
F16.99	Unspecified hallucinogen-related disorder
G47.10	Unspecified hypersomnolence disorder
F18.99	Unspecified inhalant-related disorder
G47.00	Unspecified insomnia disorder
F79	Unspecified intellectual developmental disorder (intellectual disability)
F99	Unspecified mental disorder
F09	Unspecified mental disorder due to another medical condition
F39	Unspecified mood disorder
R41.9	Unspecified neurocognitive disorder
F89	Unspecified neurodevelopmental disorder
F42.9	Unspecified obsessive-compulsive and related disorder
F11.99	Unspecified opioid-related disorder
F19.99	Unspecified other (or unknown) substance-related disorder
F65.9	Unspecified paraphilic disorder
F60.9	Unspecified personality disorder
F16.99	Unspecified phencyclidine-related disorder

ICD-10-CM Disorder, condition, or problem

F29	Unspecified schizophrenia spectrum and other psychotic disorder
F13.99	Unspecified sedative-, hypnotic-, or anxiolytic-related disorder
F52.9	Unspecified sexual dysfunction
G47.9	Unspecified sleep-wake disorder
F45.9	Unspecified somatic symptom and related disorder
	Unspecified stimulant-related disorder
F15.99	Unspecified amphetamine-type substance-related disorder
F14.99	Unspecified cocaine-related disorder
F15.99	Unspecified other stimulant-related disorder
F95.9	Unspecified tic disorder
F17.209	Unspecified tobacco-related disorder
F43.9	Unspecified trauma- and stressor-related disorder
Z62.29	Upbringing away from parents
Z65.4	Victim of crime
Z65.4	Victim of terrorism or torture
F65.3	Voyeuristic disorder
Z91.83	Wandering associated with a mental disorder

Numerical Listing of DSM-5-TR Diagnoses and ICD-10-CM Codes

For periodic DSM-5-TR coding and other updates, see www.dsm5.org.

ICD-10-CM	Disorder, condition, or problem
E66.9	Overweight or obesity
F01.50	Major neurocognitive disorder possibly due to vascular disease, Without behavioral disturbance
F01.50	Major neurocognitive disorder probably due to vascular disease, Without behavioral disturbance
F01.51	Major neurocognitive disorder possibly due to vascular disease, With behavioral disturbance
F01.51	Major neurocognitive disorder probably due to vascular disease, With behavioral disturbance
F02.80	Major neurocognitive disorder due to another medical condition, Without behavioral disturbance
F02.80	Major neurocognitive disorder due to HIV infection, Without behavioral disturbance (<i>code first</i> B20 HIV infection)
F02.80	Major neurocognitive disorder due to Huntington's disease, Without behavioral disturbance (<i>code first</i> G10 Huntington's disease)
F02.80	Major neurocognitive disorder due to multiple etiologies, Without behavioral disturbance
F02.80	Major neurocognitive disorder due to possible Alzheimer's disease, Without behavioral disturbance (<i>code first</i> G30.9 Alzheimer's disease)
F02.80	Major neurocognitive disorder due to possible frontotemporal degeneration, Without behavioral disturbance (<i>code first</i> G31.09 frontotemporal degeneration)
F02.80	Major neurocognitive disorder with possible Lewy bodies, Without behavioral disturbance (<i>code first</i> G31.83 Lewy body disease)
F02.80	Major neurocognitive disorder possibly due to Parkinson's disease, Without behavioral disturbance (<i>code first</i> G20 Parkinson's disease)
F02.80	Major neurocognitive disorder due to prion disease, Without behavioral disturbance (<i>code first</i> A81.9 prion disease)
F02.80	Major neurocognitive disorder due to probable Alzheimer's disease, Without behavioral disturbance (<i>code first</i> G30.9 Alzheimer's disease)
F02.80	Major neurocognitive disorder due to probable frontotemporal degeneration, Without behavioral disturbance (<i>code first</i> G31.09 frontotemporal degeneration)

ICD-10-CM Disorder, condition, or problem

F02.80	Major neurocognitive disorder with probable Lewy bodies, Without behavioral disturbance (<i>code first</i> G31.83 Lewy body disease)
F02.80	Major neurocognitive disorder probably due to Parkinson's disease, Without behavioral disturbance (<i>code first</i> G20 Parkinson's disease)
F02.80	Major neurocognitive disorder due to traumatic brain injury, Without behavioral disturbance (<i>code first</i> S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela)
F02.81	Major neurocognitive disorder due to another medical condition, With behavioral disturbance
F02.81	Major neurocognitive disorder due to HIV infection, With behavioral disturbance (<i>code first</i> B20 HIV infection)
F02.81	Major neurocognitive disorder due to Huntington's disease, With behavioral disturbance (<i>code first</i> G10 Huntington's disease)
F02.81	Major neurocognitive disorder due to multiple etiologies, With behavioral disturbance
F02.81	Major neurocognitive disorder due to possible Alzheimer's disease, With behavioral disturbance (<i>code first</i> G30.9 Alzheimer's disease)
F02.81	Major neurocognitive disorder due to possible frontotemporal degeneration, With behavioral disturbance (<i>code first</i> G31.09 frontotemporal degeneration)
F02.81	Major neurocognitive disorder with possible Lewy bodies, With behavioral disturbance (<i>code first</i> G31.83 Lewy body disease)
F02.81	Major neurocognitive disorder possibly due to Parkinson's disease, With behavioral disturbance (<i>code first</i> G20 Parkinson's disease)
F02.81	Major neurocognitive disorder due to prion disease, With behavioral disturbance (<i>code first</i> A81.9 prion disease)
F02.81	Major neurocognitive disorder due to probable Alzheimer's disease, With behavioral disturbance (<i>code first</i> G30.9 Alzheimer's disease)
F02.81	Major neurocognitive disorder due to probable frontotemporal degeneration, With behavioral disturbance (<i>code first</i> G31.09 frontotemporal degeneration)
F02.81	Major neurocognitive disorder with probable Lewy bodies, With behavioral disturbance (<i>code first</i> G31.83 Lewy body disease)
F02.81	Major neurocognitive disorder probably due to Parkinson's disease, With behavioral disturbance (<i>code first</i> G20 Parkinson's disease)
F02.81	Major neurocognitive disorder due to traumatic brain injury, With behavioral disturbance (<i>code first</i> S06.2X9S diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela)
F05	Delirium due to another medical condition
F05	Delirium due to multiple etiologies
F06.0	Psychotic disorder due to another medical condition, With hallucinations
F06.1	Catatonia associated with another mental disorder (catatonia specifier)
F06.1	Catatonic disorder due to another medical condition
F06.1	Unspecified catatonia (<i>code first</i> R29.818 other symptoms involving nervous and musculoskeletal systems)
F06.2	Psychotic disorder due to another medical condition, With delusions
F06.31	Depressive disorder due to another medical condition, With depressive features
F06.32	Depressive disorder due to another medical condition, With major depressive-like episode

ICD-10-CM Disorder, condition, or problem

F06.33	Bipolar and related disorder due to another medical condition, With manic features
F06.33	Bipolar and related disorder due to another medical condition, With manic- or hypomanic-like episode
F06.34	Bipolar and related disorder due to another medical condition, With mixed features
F06.34	Depressive disorder due to another medical condition, With mixed features
F06.4	Anxiety disorder due to another medical condition
F06.8	Obsessive-compulsive and related disorder due to another medical condition
F06.8	Other specified mental disorder due to another medical condition
F07.0	Personality change due to another medical condition
F09	Unspecified mental disorder due to another medical condition
F10.10	Alcohol use disorder, Mild
F10.11	Alcohol use disorder, Mild, In early remission
F10.11	Alcohol use disorder, Mild, In sustained remission
F10.120	Alcohol intoxication, With mild use disorder
F10.121	Alcohol intoxication delirium, With mild use disorder
F10.130	Alcohol withdrawal, Without perceptual disturbances, With mild use disorder
F10.131	Alcohol withdrawal delirium, With mild use disorder
F10.132	Alcohol withdrawal, With perceptual disturbances, With mild use disorder
F10.14	Alcohol-induced bipolar and related disorder, With mild use disorder
F10.14	Alcohol-induced depressive disorder, With mild use disorder
F10.159	Alcohol-induced psychotic disorder, With mild use disorder
F10.180	Alcohol-induced anxiety disorder, With mild use disorder
F10.181	Alcohol-induced sexual dysfunction, With mild use disorder
F10.182	Alcohol-induced sleep disorder, With mild use disorder
F10.188	Alcohol-induced mild neurocognitive disorder, With mild use disorder
F10.20	Alcohol use disorder, Moderate
F10.20	Alcohol use disorder, Severe
F10.21	Alcohol use disorder, Moderate, In early remission
F10.21	Alcohol use disorder, Moderate, In sustained remission
F10.21	Alcohol use disorder, Severe, In early remission
F10.21	Alcohol use disorder, Severe, In sustained remission
F10.220	Alcohol intoxication, With moderate or severe use disorder
F10.221	Alcohol intoxication delirium, With moderate or severe use disorder
F10.230	Alcohol withdrawal, Without perceptual disturbances, With moderate or severe use disorder
F10.231	Alcohol withdrawal delirium, With moderate or severe use disorder
F10.232	Alcohol withdrawal, With perceptual disturbances, With moderate or severe use disorder
F10.24	Alcohol-induced bipolar and related disorder, With moderate or severe use disorder
F10.24	Alcohol-induced depressive disorder, With moderate or severe use disorder
F10.259	Alcohol-induced psychotic disorder, With moderate or severe use disorder
F10.26	Alcohol-induced major neurocognitive disorder, Amnesic-confabulatory type, With moderate or severe use disorder

ICD-10-CM	Disorder, condition, or problem
F10.27	Alcohol-induced major neurocognitive disorder, Nonamnesic-confabulatory type, With moderate or severe use disorder
F10.280	Alcohol-induced anxiety disorder, With moderate or severe use disorder
F10.281	Alcohol-induced sexual dysfunction, With moderate or severe use disorder
F10.282	Alcohol-induced sleep disorder, With moderate or severe use disorder
F10.288	Alcohol-induced mild neurocognitive disorder, With moderate or severe use disorder
F10.920	Alcohol intoxication, Without use disorder
F10.921	Alcohol intoxication delirium, Without use disorder
F10.930	Alcohol withdrawal, Without perceptual disturbances, Without use disorder
F10.931	Alcohol withdrawal delirium, without use disorder
F10.932	Alcohol withdrawal, With perceptual disturbances, Without use disorder
F10.94	Alcohol-induced bipolar and related disorder, Without use disorder
F10.94	Alcohol-induced depressive disorder, Without use disorder
F10.959	Alcohol-induced psychotic disorder, Without use disorder
F10.96	Alcohol-induced major neurocognitive disorder, Amnesic-confabulatory type, Without use disorder
F10.97	Alcohol-induced major neurocognitive disorder, Nonamnesic-confabulatory type, Without use disorder
F10.980	Alcohol-induced anxiety disorder, Without use disorder
F10.981	Alcohol-induced sexual dysfunction, Without use disorder
F10.982	Alcohol-induced sleep disorder, Without use disorder
F10.988	Alcohol-induced mild neurocognitive disorder, Without use disorder
F10.99	Unspecified alcohol-related disorder
F11.10	Opioid use disorder, Mild
F11.11	Opioid use disorder, Mild, In early remission
F11.11	Opioid use disorder, Mild, In sustained remission
F11.120	Opioid intoxication, Without perceptual disturbances, With mild use disorder
F11.121	Opioid intoxication delirium, With mild use disorder
F11.122	Opioid intoxication, With perceptual disturbances, With mild use disorder
F11.13	Opioid withdrawal, With mild use disorder
F11.14	Opioid-induced depressive disorder, With mild use disorder
F11.181	Opioid-induced sexual dysfunction, With mild use disorder
F11.182	Opioid-induced sleep disorder, With mild use disorder
F11.188	Opioid-induced anxiety disorder, With mild use disorder
F11.188	Opioid withdrawal delirium, With mild use disorder
F11.20	Opioid use disorder, Moderate
F11.20	Opioid use disorder, Severe
F11.21	Opioid use disorder, Moderate, In early remission
F11.21	Opioid use disorder, Moderate, In sustained remission
F11.21	Opioid use disorder, Severe, In early remission
F11.21	Opioid use disorder, Severe, In sustained remission
F11.220	Opioid intoxication, Without perceptual disturbances, With moderate or severe use disorder
F11.221	Opioid intoxication delirium, With moderate or severe use disorder

ICD-10-CM Disorder, condition, or problem

F11.222	Opioid intoxication, With perceptual disturbances, With moderate or severe use disorder
F11.23	Opioid withdrawal, With moderate or severe use disorder
F11.24	Opioid-induced depressive disorder, With moderate or severe use disorder
F11.281	Opioid-induced sexual dysfunction, With moderate or severe use disorder
F11.282	Opioid-induced sleep disorder, With moderate or severe use disorder
F11.288	Opioid-induced anxiety disorder, With moderate or severe use disorder
F11.288	Opioid withdrawal delirium, With moderate or severe use disorder
F11.920	Opioid intoxication, Without perceptual disturbances, Without use disorder
F11.921	Opioid-induced delirium (opioid medication taken as prescribed)
F11.921	Opioid intoxication delirium, Without use disorder
F11.922	Opioid intoxication, With perceptual disturbances, Without use disorder
F11.93	Opioid withdrawal, Without use disorder
F11.94	Opioid-induced depressive disorder, Without use disorder
F11.981	Opioid-induced sexual dysfunction, Without use disorder
F11.982	Opioid-induced sleep disorder, Without use disorder
F11.988	Opioid-induced anxiety disorder, Without use disorder
F11.988	Opioid-induced delirium (during withdrawal from opioid medication taken as prescribed)
F11.988	Opioid withdrawal delirium, Without use disorder
F11.99	Unspecified opioid-related disorder
F12.10	Cannabis use disorder, Mild
F12.11	Cannabis use disorder, Mild, In early remission
F12.11	Cannabis use disorder, Mild, In sustained remission
F12.120	Cannabis intoxication, Without perceptual disturbances, With mild use disorder
F12.121	Cannabis intoxication delirium, With mild use disorder
F12.122	Cannabis intoxication, With perceptual disturbances, With mild use disorder
F12.13	Cannabis withdrawal, With mild use disorder
F12.159	Cannabis-induced psychotic disorder, With mild use disorder
F12.180	Cannabis-induced anxiety disorder, With mild use disorder
F12.188	Cannabis-induced sleep disorder, With mild use disorder
F12.20	Cannabis use disorder, Moderate
F12.20	Cannabis use disorder, Severe
F12.21	Cannabis use disorder, Moderate, In early remission
F12.21	Cannabis use disorder, Moderate, In sustained remission
F12.21	Cannabis use disorder, Severe, In early remission
F12.21	Cannabis use disorder, Severe, In sustained remission
F12.220	Cannabis intoxication, Without perceptual disturbances, With moderate or severe use disorder
F12.221	Cannabis intoxication delirium, With moderate or severe use disorder
F12.222	Cannabis intoxication, With perceptual disturbances, With moderate or severe use disorder
F12.23	Cannabis withdrawal, With moderate or severe use disorder
F12.259	Cannabis-induced psychotic disorder, With moderate or severe use disorder

ICD-10-CM	Disorder, condition, or problem
F12.280	Cannabis-induced anxiety disorder, With moderate or severe use disorder
F12.288	Cannabis-induced sleep disorder, With moderate or severe use disorder
F12.920	Cannabis intoxication, Without perceptual disturbances, Without use disorder
F12.921	Cannabis intoxication delirium, Without use disorder
F12.921	Pharmaceutical cannabis receptor agonist-induced delirium (pharmaceutical cannabis receptor agonist medication taken as prescribed)
F12.922	Cannabis intoxication, With perceptual disturbances, Without use disorder
F12.93	Cannabis withdrawal, Without use disorder
F12.959	Cannabis-induced psychotic disorder, Without use disorder
F12.980	Cannabis-induced anxiety disorder, Without use disorder
F12.988	Cannabis-induced sleep disorder, Without use disorder
F12.99	Unspecified cannabis-related disorder
F13.10	Sedative, hypnotic, or anxiolytic use disorder, Mild
F13.11	Sedative, hypnotic, or anxiolytic use disorder, Mild, In early remission
F13.11	Sedative, hypnotic, or anxiolytic use disorder, Mild, In sustained remission
F13.120	Sedative, hypnotic, or anxiolytic intoxication, With mild use disorder
F13.121	Sedative, hypnotic, or anxiolytic intoxication delirium, With mild use disorder
F13.130	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances, With mild use disorder
F13.131	Sedative, hypnotic, or anxiolytic withdrawal delirium, With mild use disorder
F13.132	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances, With mild use disorder
F13.14	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With mild use disorder
F13.14	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With mild use disorder
F13.159	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With mild use disorder
F13.180	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With mild use disorder
F13.181	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With mild use disorder
F13.182	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With mild use disorder
F13.188	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, With mild use disorder
F13.20	Sedative, hypnotic, or anxiolytic use disorder, Moderate
F13.20	Sedative, hypnotic, or anxiolytic use disorder, Severe
F13.21	Sedative, hypnotic, or anxiolytic use disorder, Moderate, In early remission
F13.21	Sedative, hypnotic, or anxiolytic use disorder, Moderate, In sustained remission
F13.21	Sedative, hypnotic, or anxiolytic use disorder, Severe, In early remission
F13.21	Sedative, hypnotic, or anxiolytic use disorder, Severe, In sustained remission
F13.220	Sedative, hypnotic, or anxiolytic intoxication, With moderate or severe use disorder

ICD-10-CM	Disorder, condition, or problem
F13.221	Sedative, hypnotic, or anxiolytic intoxication delirium, With moderate or severe use disorder
F13.230	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances, With moderate or severe use disorder
F13.231	Sedative, hypnotic, or anxiolytic withdrawal delirium, With moderate or severe use disorder
F13.232	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances, With moderate or severe use disorder
F13.24	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With moderate or severe use disorder
F13.24	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With moderate or severe use disorder
F13.259	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With moderate or severe use disorder
F13.27	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, With moderate or severe use disorder
F13.280	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With moderate or severe use disorder
F13.281	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With moderate or severe use disorder
F13.282	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With moderate or severe use disorder
F13.288	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, With moderate or severe use disorder
F13.920	Sedative, hypnotic, or anxiolytic intoxication, Without use disorder
F13.921	Sedative-, hypnotic-, or anxiolytic-induced delirium (sedative, hypnotic, or anxiolytic medication taken as prescribed)
F13.921	Sedative, hypnotic, or anxiolytic intoxication delirium, Without use disorder
F13.930	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances, Without use disorder
F13.931	Sedative, hypnotic, or anxiolytic-induced delirium (during withdrawal from sedative, hypnotic, or anxiolytic medication taken as prescribed)
F13.931	Sedative, hypnotic, or anxiolytic withdrawal delirium, Without use disorder
F13.932	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances, Without use disorder
F13.94	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, Without use disorder
F13.94	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, Without use disorder
F13.959	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, Without use disorder
F13.97	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, Without use disorder
F13.980	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, Without use disorder
F13.981	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, Without use disorder

ICD-10-CM Disorder, condition, or problem

F13.982	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, Without use disorder
F13.988	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, Without use disorder
F13.99	Unspecified sedative-, hypnotic-, or anxiolytic-related disorder
F14.10	Cocaine use disorder, Mild
F14.11	Cocaine use disorder, Mild, In early remission
F14.11	Cocaine use disorder, Mild, In sustained remission
F14.120	Cocaine intoxication, Without perceptual disturbances, With mild use disorder
F14.121	Cocaine intoxication delirium, With mild use disorder
F14.122	Cocaine intoxication, With perceptual disturbances, With mild use disorder
F14.13	Cocaine withdrawal, With mild use disorder
F14.14	Cocaine-induced bipolar and related disorder, With mild use disorder
F14.14	Cocaine-induced depressive disorder, With mild use disorder
F14.159	Cocaine-induced psychotic disorder, With mild use disorder
F14.180	Cocaine-induced anxiety disorder, With mild use disorder
F14.181	Cocaine-induced sexual dysfunction, With mild use disorder
F14.182	Cocaine-induced sleep disorder, With mild use disorder
F14.188	Cocaine-induced mild neurocognitive disorder, With mild use disorder
F14.188	Cocaine-induced obsessive-compulsive and related disorder, With mild use disorder
F14.20	Cocaine use disorder, Moderate
F14.20	Cocaine use disorder, Severe
F14.21	Cocaine use disorder, Moderate, In early remission
F14.21	Cocaine use disorder, Moderate, In sustained remission
F14.21	Cocaine use disorder, Severe, In early remission
F14.21	Cocaine use disorder, Severe, In sustained remission
F14.220	Cocaine intoxication, Without perceptual disturbances, With moderate or severe use disorder
F14.221	Cocaine intoxication delirium, With moderate or severe use disorder
F14.222	Cocaine intoxication, With perceptual disturbances, With moderate or severe use disorder
F14.23	Cocaine withdrawal, With moderate or severe use disorder
F14.24	Cocaine-induced bipolar and related disorder, With moderate or severe use disorder
F14.24	Cocaine-induced depressive disorder, With moderate or severe use disorder
F14.259	Cocaine-induced psychotic disorder, With moderate or severe use disorder
F14.280	Cocaine-induced anxiety disorder, With moderate or severe use disorder
F14.281	Cocaine-induced sexual dysfunction, With moderate or severe use disorder
F14.282	Cocaine-induced sleep disorder, With moderate or severe use disorder
F14.288	Cocaine-induced mild neurocognitive disorder, With moderate or severe use disorder
F14.288	Cocaine-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
F14.920	Cocaine intoxication, Without perceptual disturbances, Without use disorder

ICD-10-CM	Disorder, condition, or problem
F14.921	Cocaine intoxication delirium, Without use disorder
F14.922	Cocaine intoxication, With perceptual disturbances, Without use disorder
F14.93	Cocaine withdrawal, Without use disorder
F14.94	Cocaine-induced bipolar and related disorder, Without use disorder
F14.94	Cocaine-induced depressive disorder, Without use disorder
F14.959	Cocaine-induced psychotic disorder, Without use disorder
F14.980	Cocaine-induced anxiety disorder, Without use disorder
F14.981	Cocaine-induced sexual dysfunction, Without use disorder
F14.982	Cocaine-induced sleep disorder, Without use disorder
F14.988	Cocaine-induced mild neurocognitive disorder, Without use disorder
F14.988	Cocaine-induced obsessive-compulsive and related disorder, Without use disorder
F14.99	Unspecified cocaine-related disorder
F15.10	Amphetamine-type substance use disorder, Mild
F15.10	Other or unspecified stimulant use disorder, Mild
F15.11	Amphetamine-type substance use disorder, Mild, In early remission
F15.11	Amphetamine-type substance use disorder, Mild, In sustained remission
F15.11	Other or unspecified stimulant use disorder, Mild, In early remission
F15.11	Other or unspecified stimulant use disorder, Mild, In sustained remission
F15.120	Amphetamine-type substance intoxication, Without perceptual disturbances, With mild use disorder
F15.120	Other stimulant intoxication, Without perceptual disturbances, With mild use disorder
F15.121	Amphetamine-type substance (or other stimulant) intoxication delirium, With mild use disorder
F15.122	Amphetamine-type substance intoxication, With perceptual disturbances, With mild use disorder
F15.122	Other stimulant intoxication, With perceptual disturbances, With mild use disorder
F15.13	Amphetamine-type substance withdrawal, With mild use disorder
F15.13	Other stimulant withdrawal, With mild use disorder
F15.14	Amphetamine-type substance (or other stimulant)-induced bipolar and related disorder, With mild use disorder
F15.14	Amphetamine-type substance (or other stimulant)-induced depressive disorder, With mild use disorder
F15.159	Amphetamine-type substance (or other stimulant)-induced psychotic disorder, With mild use disorder
F15.180	Amphetamine-type substance (or other stimulant)-induced anxiety disorder, With mild use disorder
F15.181	Amphetamine-type substance (or other stimulant)-induced sexual dysfunction, With mild use disorder
F15.182	Amphetamine-type substance (or other stimulant)-induced sleep disorder, With mild use disorder
F15.188	Amphetamine-type substance (or other stimulant)-induced mild neurocognitive disorder, With mild use disorder
F15.188	Amphetamine-type substance (or other stimulant)-induced obsessive-compulsive and related disorder, With mild use disorder

ICD-10-CM Disorder, condition, or problem

F15.20	Amphetamine-type substance use disorder, Moderate
F15.20	Amphetamine-type substance use disorder, Severe
F15.20	Other or unspecified stimulant use disorder, Moderate
F15.20	Other or unspecified stimulant use disorder, Severe
F15.21	Amphetamine-type substance use disorder, Moderate, In early remission
F15.21	Amphetamine-type substance use disorder, Moderate, In sustained remission
F15.21	Amphetamine-type substance use disorder, Severe, In early remission
F15.21	Amphetamine-type substance use disorder, Severe, In sustained remission
F15.21	Other or unspecified stimulant use disorder, Moderate, In early remission
F15.21	Other or unspecified stimulant use disorder, Moderate, In sustained remission
F15.21	Other or unspecified stimulant use disorder, Severe, In early remission
F15.21	Other or unspecified stimulant use disorder, Severe, In sustained remission
F15.220	Amphetamine-type substance intoxication, Without perceptual disturbances, With moderate or severe use disorder
F15.220	Other stimulant intoxication, Without perceptual disturbances, With moderate or severe use disorder
F15.221	Amphetamine-type substance (or other stimulant) intoxication delirium, With moderate or severe use disorder
F15.222	Amphetamine-type substance intoxication, With perceptual disturbances, With moderate or severe use disorder
F15.222	Other stimulant intoxication, With perceptual disturbances, With moderate or severe use disorder
F15.23	Amphetamine-type substance withdrawal, With moderate or severe use disorder
F15.23	Other stimulant withdrawal, With moderate or severe use disorder
F15.24	Amphetamine-type substance (or other stimulant)-induced bipolar and related disorder, With moderate or severe use disorder
F15.24	Amphetamine-type substance (or other stimulant)-induced depressive disorder, With moderate or severe use disorder
F15.259	Amphetamine-type substance (or other stimulant)-induced psychotic disorder, With moderate or severe use disorder
F15.280	Amphetamine-type substance (or other stimulant)-induced anxiety disorder, With moderate or severe use disorder
F15.281	Amphetamine-type substance (or other stimulant)-induced sexual dysfunction, With moderate or severe use disorder
F15.282	Amphetamine-type substance (or other stimulant)-induced sleep disorder, With moderate or severe use disorder
F15.288	Amphetamine-type substance (or other stimulant)-induced mild neurocognitive disorder, With moderate or severe use disorder
F15.288	Amphetamine-type substance (or other stimulant)-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
F15.920	Amphetamine-type substance intoxication, Without perceptual disturbances, Without use disorder
F15.920	Caffeine intoxication
F15.920	Other stimulant intoxication, Without perceptual disturbances, Without use disorder

ICD-10-CM	Disorder, condition, or problem
F15.921	Amphetamine-type (or other stimulant) medication-induced delirium (amphetamine-type or other stimulant medication taken as prescribed)
F15.921	Amphetamine-type substance (or other stimulant) intoxication delirium, Without use disorder
F15.922	Amphetamine-type substance intoxication, With perceptual disturbances, Without use disorder
F15.922	Other stimulant intoxication, With perceptual disturbances, Without use disorder
F15.93	Amphetamine-type substance withdrawal, Without use disorder
F15.93	Caffeine withdrawal
F15.93	Other stimulant withdrawal, Without use disorder
F15.94	Amphetamine-type substance (or other stimulant)-induced bipolar and related disorder, Without use disorder
F15.94	Amphetamine-type substance (or other stimulant)-induced depressive disorder, Without use disorder
F15.959	Amphetamine-type substance (or other stimulant)-induced psychotic disorder, Without use disorder
F15.980	Amphetamine-type substance (or other stimulant)-induced anxiety disorder, Without use disorder
F15.980	Caffeine-induced anxiety disorder, Without use disorder
F15.981	Amphetamine-type substance (or other stimulant)-induced sexual dysfunction, Without use disorder
F15.982	Amphetamine-type substance (or other stimulant)-induced sleep disorder, Without use disorder
F15.982	Caffeine-induced sleep disorder, Without use disorder
F15.988	Amphetamine-type substance (or other stimulant)-induced mild neurocognitive disorder, Without use disorder
F15.988	Amphetamine-type substance (or other stimulant)-induced obsessive-compulsive and related disorder, Without use disorder
F15.99	Unspecified amphetamine-type substance-related disorder
F15.99	Unspecified caffeine-related disorder
F15.99	Unspecified other stimulant-related disorder
F16.10	Other hallucinogen use disorder, Mild
F16.10	Phencyclidine use disorder, Mild
F16.11	Other hallucinogen use disorder, Mild, In early remission
F16.11	Other hallucinogen use disorder, Mild, In sustained remission
F16.11	Phencyclidine use disorder, Mild, In early remission
F16.11	Phencyclidine use disorder, Mild, In sustained remission
F16.120	Other hallucinogen intoxication, With mild use disorder
F16.120	Phencyclidine intoxication, With mild use disorder
F16.121	Other hallucinogen intoxication delirium, With mild use disorder
F16.121	Phencyclidine intoxication delirium, With mild use disorder
F16.14	Other hallucinogen-induced bipolar and related disorder, With mild use disorder
F16.14	Other hallucinogen-induced depressive disorder, With mild use disorder
F16.14	Phencyclidine-induced bipolar and related disorder, With mild use disorder

ICD-10-CM Disorder, condition, or problem

F16.14	Phencyclidine-induced depressive disorder, With mild use disorder
F16.159	Other hallucinogen-induced psychotic disorder, With mild use disorder
F16.159	Phencyclidine-induced psychotic disorder, With mild use disorder
F16.180	Other hallucinogen-induced anxiety disorder, With mild use disorder
F16.180	Phencyclidine-induced anxiety disorder, With mild use disorder
F16.20	Other hallucinogen use disorder, Moderate
F16.20	Other hallucinogen use disorder, Severe
F16.20	Phencyclidine use disorder, Moderate
F16.20	Phencyclidine use disorder, Severe
F16.21	Other hallucinogen use disorder, Moderate, In early remission
F16.21	Other hallucinogen use disorder, Moderate, In sustained remission
F16.21	Other hallucinogen use disorder, Severe, In early remission
F16.21	Other hallucinogen use disorder, Severe, In sustained remission
F16.21	Phencyclidine use disorder, Moderate, In early remission
F16.21	Phencyclidine use disorder, Moderate, In sustained remission
F16.21	Phencyclidine use disorder, Severe, In early remission
F16.21	Phencyclidine use disorder, Severe, In sustained remission
F16.220	Other hallucinogen intoxication, With moderate or severe use disorder
F16.220	Phencyclidine intoxication, With moderate or severe use disorder
F16.221	Other hallucinogen intoxication delirium, With moderate or severe use disorder
F16.221	Phencyclidine intoxication delirium, With moderate or severe use disorder
F16.24	Other hallucinogen-induced bipolar and related disorder, With moderate or severe use disorder
F16.24	Other hallucinogen-induced depressive disorder, With moderate or severe use disorder
F16.24	Phencyclidine-induced bipolar and related disorder, With moderate or severe use disorder
F16.24	Phencyclidine-induced depressive disorder, With moderate or severe use disorder
F16.259	Other hallucinogen-induced psychotic disorder, With moderate or severe use disorder
F16.259	Phencyclidine-induced psychotic disorder, With moderate or severe use disorder
F16.280	Other hallucinogen-induced anxiety disorder, With moderate or severe use disorder
F16.280	Phencyclidine-induced anxiety disorder, With moderate or severe use disorder
F16.920	Other hallucinogen intoxication, Without use disorder
F16.920	Phencyclidine intoxication, Without use disorder
F16.921	Ketamine or other hallucinogen-induced delirium (ketamine or other hallucinogen medication taken as prescribed or for medical reasons)
F16.921	Other hallucinogen intoxication delirium, Without use disorder
F16.921	Phencyclidine intoxication delirium, Without use disorder
F16.94	Other hallucinogen-induced bipolar and related disorder, Without use disorder

ICD-10-CM Disorder, condition, or problem

F16.94	Other hallucinogen-induced depressive disorder, Without use disorder
F16.94	Phencyclidine-induced bipolar and related disorder, Without use disorder
F16.94	Phencyclidine-induced depressive disorder, Without use disorder
F16.959	Other hallucinogen-induced psychotic disorder, Without use disorder
F16.959	Phencyclidine-induced psychotic disorder, Without use disorder
F16.980	Other hallucinogen-induced anxiety disorder, Without use disorder
F16.980	Phencyclidine-induced anxiety disorder, Without use disorder
F16.983	Hallucinogen persisting perception disorder
F16.99	Unspecified hallucinogen-related disorder
F16.99	Unspecified phencyclidine-related disorder
F17.200	Tobacco use disorder, Moderate
F17.200	Tobacco use disorder, Severe
F17.201	Tobacco use disorder, Moderate, In early remission
F17.201	Tobacco use disorder, Moderate, In sustained remission
F17.201	Tobacco use disorder, Severe, In early remission
F17.201	Tobacco use disorder, Severe, In sustained remission
F17.203	Tobacco withdrawal
F17.208	Tobacco-induced sleep disorder, With moderate or severe use disorder
F17.209	Unspecified tobacco-related disorder
F18.10	Inhalant use disorder, Mild
F18.11	Inhalant use disorder, Mild, In early remission
F18.11	Inhalant use disorder, Mild, In sustained remission
F18.120	Inhalant intoxication, With mild use disorder
F18.121	Inhalant intoxication delirium, With mild use disorder
F18.14	Inhalant-induced depressive disorder, With mild use disorder
F18.159	Inhalant-induced psychotic disorder, With mild use disorder
F18.17	Inhalant-induced major neurocognitive disorder, With mild use disorder
F18.180	Inhalant-induced anxiety disorder, With mild use disorder
F18.188	Inhalant-induced mild neurocognitive disorder, With mild use disorder
F18.20	Inhalant use disorder, Moderate
F18.20	Inhalant use disorder, Severe
F18.21	Inhalant use disorder, Moderate, In early remission
F18.21	Inhalant use disorder, Moderate, In sustained remission
F18.21	Inhalant use disorder, Severe, In early remission
F18.21	Inhalant use disorder, Severe, In sustained remission
F18.220	Inhalant intoxication, With moderate or severe use disorder
F18.221	Inhalant intoxication delirium, With moderate or severe use disorder
F18.24	Inhalant-induced depressive disorder, With moderate or severe use disorder
F18.259	Inhalant-induced psychotic disorder, With moderate or severe use disorder
F18.27	Inhalant-induced major neurocognitive disorder, With moderate or severe use disorder
F18.280	Inhalant-induced anxiety disorder, With moderate or severe use disorder
F18.288	Inhalant-induced mild neurocognitive disorder, With moderate or severe use disorder
F18.920	Inhalant intoxication, Without use disorder

ICD-10-CM	Disorder, condition, or problem
F18.921	Inhalant intoxication delirium, Without use disorder
F18.94	Inhalant-induced depressive disorder, Without use disorder
F18.959	Inhalant-induced psychotic disorder, Without use disorder
F18.97	Inhalant-induced major neurocognitive disorder, Without use disorder
F18.980	Inhalant-induced anxiety disorder, Without use disorder
F18.988	Inhalant-induced mild neurocognitive disorder, Without use disorder
F18.99	Unspecified inhalant-related disorder
F19.10	Other (or unknown) substance use disorder, Mild
F19.11	Other (or unknown) substance use disorder, Mild, In early remission
F19.11	Other (or unknown) substance use disorder, Mild, In sustained remission
F19.120	Other (or unknown) substance intoxication, Without perceptual disturbances, With mild use disorder
F19.121	Other (or unknown) substance intoxication delirium, With mild use disorder
F19.122	Other (or unknown) substance intoxication, With perceptual disturbances, With mild use disorder
F19.130	Other (or unknown) substance withdrawal, Without perceptual disturbances, With mild use disorder
F19.131	Other (or unknown) substance withdrawal delirium, With mild use disorder
F19.132	Other (or unknown) substance withdrawal, With perceptual disturbances, With mild use disorder
F19.14	Other (or unknown) substance-induced bipolar and related disorder, With mild use disorder
F19.14	Other (or unknown) substance-induced depressive disorder, With mild use disorder
F19.159	Other (or unknown) substance-induced psychotic disorder, With mild use disorder
F19.17	Other (or unknown) substance-induced major neurocognitive disorder, With mild use disorder
F19.180	Other (or unknown) substance-induced anxiety disorder, With mild use disorder
F19.181	Other (or unknown) substance-induced sexual dysfunction, With mild use disorder
F19.182	Other (or unknown) substance-induced sleep disorder, With mild use disorder
F19.188	Other (or unknown) substance-induced mild neurocognitive disorder, With mild use disorder
F19.188	Other (or unknown) substance-induced obsessive-compulsive and related disorder, With mild use disorder
F19.20	Other (or unknown) substance use disorder, Moderate
F19.20	Other (or unknown) substance use disorder, Severe
F19.21	Other (or unknown) substance use disorder, Moderate, In early remission
F19.21	Other (or unknown) substance use disorder, Moderate, In sustained remission
F19.21	Other (or unknown) substance use disorder, Severe, In early remission
F19.21	Other (or unknown) substance use disorder, Severe, In sustained remission
F19.220	Other (or unknown) substance intoxication, Without perceptual disturbances, With moderate or severe use disorder

ICD-10-CM	Disorder, condition, or problem
F19.221	Other (or unknown) substance intoxication delirium, With moderate or severe use disorder
F19.222	Other (or unknown) substance intoxication, With perceptual disturbances, With moderate or severe use disorder
F19.230	Other (or unknown) substance withdrawal, Without perceptual disturbances, With moderate or severe use disorder
F19.231	Other (or unknown) substance withdrawal delirium, With moderate or severe use disorder
F19.232	Other (or unknown) substance withdrawal, With perceptual disturbances, With moderate or severe use disorder
F19.24	Other (or unknown) substance-induced bipolar and related disorder, With moderate or severe use disorder
F19.24	Other (or unknown) substance-induced depressive disorder, With moderate or severe use disorder
F19.259	Other (or unknown) substance-induced psychotic disorder, With moderate or severe use disorder
F19.27	Other (or unknown) substance-induced major neurocognitive disorder, With moderate or severe use disorder
F19.280	Other (or unknown) substance-induced anxiety disorder, With moderate or severe use disorder
F19.281	Other (or unknown) substance-induced sexual dysfunction, With moderate or severe use disorder
F19.282	Other (or unknown) substance-induced sleep disorder, With moderate or severe use disorder
F19.288	Other (or unknown) substance-induced mild neurocognitive disorder, With moderate or severe use disorder
F19.288	Other (or unknown) substance-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
F19.920	Other (or unknown) substance intoxication, Without perceptual disturbances, Without use disorder
F19.921	Other (or unknown) medication-induced delirium (other [or unknown] medication taken as prescribed)
F19.921	Other (or unknown) substance intoxication delirium, Without use disorder
F19.922	Other (or unknown) substance intoxication, With perceptual disturbances, Without use disorder
F19.930	Other (or unknown) substance withdrawal, Without perceptual disturbances, Without use disorder
F19.931	Other (or unknown) medication-induced delirium (during withdrawal from other [or unknown] medication taken as prescribed)
F19.931	Other (or unknown) substance withdrawal delirium, Without use disorder
F19.932	Other (or unknown) substance withdrawal, With perceptual disturbances, Without use disorder
F19.94	Other (or unknown) substance-induced bipolar and related disorder, Without use disorder
F19.94	Other (or unknown) substance-induced depressive disorder, Without use disorder
F19.959	Other (or unknown) substance-induced psychotic disorder, Without use disorder

ICD-10-CM	Disorder, condition, or problem
F19.97	Other (or unknown) substance-induced major neurocognitive disorder, Without use disorder
F19.980	Other (or unknown) substance-induced anxiety disorder, Without use disorder
F19.981	Other (or unknown) substance-induced sexual dysfunction, Without use disorder
F19.982	Other (or unknown) substance-induced sleep disorder, Without use disorder
F19.988	Other (or unknown) substance-induced mild neurocognitive disorder, Without use disorder
F19.988	Other (or unknown) substance-induced obsessive-compulsive and related disorder, Without use disorder
F19.99	Unspecified other (or unknown) substance-related disorder
F20.81	Schizophreniform disorder
F20.9	Schizophrenia
F21	Schizotypal personality disorder
F22	Delusional disorder
F23	Brief psychotic disorder
F25.0	Schizoaffective disorder, Bipolar type
F25.1	Schizoaffective disorder, Depressive type
F28	Other specified schizophrenia spectrum and other psychotic disorder
F29	Unspecified schizophrenia spectrum and other psychotic disorder
F31.0	Bipolar I disorder, Current or most recent episode hypomanic
F31.11	Bipolar I disorder, Current or most recent episode manic, Mild
F31.12	Bipolar I disorder, Current or most recent episode manic, Moderate
F31.13	Bipolar I disorder, Current or most recent episode manic, Severe
F31.2	Bipolar I disorder, Current or most recent episode manic, With psychotic features
F31.31	Bipolar I disorder, Current or most recent episode depressed, Mild
F31.32	Bipolar I disorder, Current or most recent episode depressed, Moderate
F31.4	Bipolar I disorder, Current or most recent episode depressed, Severe
F31.5	Bipolar I disorder, Current or most recent episode depressed, With psychotic features
F31.71	Bipolar I disorder, Current or most recent episode hypomanic, In partial remission
F31.72	Bipolar I disorder, Current or most recent episode hypomanic, In full remission
F31.73	Bipolar I disorder, Current or most recent episode manic, In partial remission
F31.74	Bipolar I disorder, Current or most recent episode manic, In full remission
F31.75	Bipolar I disorder, Current or most recent episode depressed, In partial remission
F31.76	Bipolar I disorder, Current or most recent episode depressed, In full remission
F31.81	Bipolar II disorder
F31.89	Other specified bipolar and related disorder
F31.9	Bipolar I disorder, Current or most recent episode depressed, Unspecified
F31.9	Bipolar I disorder, Current or most recent episode hypomanic, Unspecified
F31.9	Bipolar I disorder, Current or most recent episode manic, Unspecified

ICD-10-CM Disorder, condition, or problem

F31.9	Bipolar I disorder, Current or most recent episode unspecified
F31.9	Unspecified bipolar and related disorder
F32.0	Major depressive disorder, Single episode, Mild
F32.1	Major depressive disorder, Single episode, Moderate
F32.2	Major depressive disorder, Single episode, Severe
F32.3	Major depressive disorder, Single episode, With psychotic features
F32.4	Major depressive disorder, Single episode, In partial remission
F32.5	Major depressive disorder, Single episode, In full remission
F32.81	Premenstrual dysphoric disorder
F32.89	Other specified depressive disorder
F32.9	Major depressive disorder, Single episode, Unspecified
F32.A	Unspecified depressive disorder
F33.0	Major depressive disorder, Recurrent episode, Mild
F33.1	Major depressive disorder, Recurrent episode, Moderate
F33.2	Major depressive disorder, Recurrent episode, Severe
F33.3	Major depressive disorder, Recurrent episode, With psychotic features
F33.41	Major depressive disorder, Recurrent episode, In partial remission
F33.42	Major depressive disorder, Recurrent episode, In full remission
F33.9	Major depressive disorder, Recurrent episode, Unspecified
F34.0	Cyclothymic disorder
F34.1	Persistent depressive disorder
F34.81	Disruptive mood dysregulation disorder
F39	Unspecified mood disorder
F40.00	Agoraphobia
F40.10	Social anxiety disorder
F40.218	Specific phobia, Animal
F40.228	Specific phobia, Natural environment
F40.230	Specific phobia, Fear of blood
F40.231	Specific phobia, Fear of injections and transfusions
F40.232	Specific phobia, Fear of other medical care
F40.233	Specific phobia, Fear of injury
F40.248	Specific phobia, Situational
F40.298	Specific phobia, Other
F41.0	Panic disorder
F41.1	Generalized anxiety disorder
F41.8	Other specified anxiety disorder
F41.9	Unspecified anxiety disorder
F42.2	Obsessive-compulsive disorder
F42.3	Hoarding disorder
F42.4	Excoriation (skin-picking) disorder
F42.8	Other specified obsessive-compulsive and related disorder
F42.9	Unspecified obsessive-compulsive and related disorder
F43.0	Acute stress disorder
F43.10	Posttraumatic stress disorder

ICD-10-CM Disorder, condition, or problem

F43.20	Adjustment disorders, Unspecified
F43.21	Adjustment disorders, With depressed mood
F43.22	Adjustment disorders, With anxiety
F43.23	Adjustment disorders, With mixed anxiety and depressed mood
F43.24	Adjustment disorders, With disturbance of conduct
F43.25	Adjustment disorders, With mixed disturbance of emotions and conduct
F43.8	Other specified trauma- and stressor-related disorder
F43.8	Prolonged grief disorder
F43.9	Unspecified trauma- and stressor-related disorder
F44.0	Dissociative amnesia
F44.1	Dissociative amnesia, With dissociative fugue
F44.4	Functional neurological symptom disorder (conversion disorder), With abnormal movement
F44.4	Functional neurological symptom disorder (conversion disorder), With speech symptom
F44.4	Functional neurological symptom disorder (conversion disorder), With swallowing symptoms
F44.4	Functional neurological symptom disorder (conversion disorder), With weakness/paralysis
F44.5	Functional neurological symptom disorder (conversion disorder), With attacks or seizures
F44.6	Functional neurological symptom disorder (conversion disorder), With anesthesia or sensory loss
F44.6	Functional neurological symptom disorder (conversion disorder), With special sensory symptom
F44.7	Functional neurological symptom disorder (conversion disorder), With mixed symptoms
F44.81	Dissociative identity disorder
F44.89	Other specified dissociative disorder
F44.9	Unspecified dissociative disorder
F45.1	Somatic symptom disorder
F45.21	Illness anxiety disorder
F45.22	Body dysmorphic disorder
F45.8	Other specified somatic symptom and related disorder
F45.9	Unspecified somatic symptom and related disorder
F48.1	Depersonalization/derealization disorder
F50.01	Anorexia nervosa, Restricting type
F50.02	Anorexia nervosa, Binge-eating/purging type
F50.2	Bulimia nervosa
F50.81	Binge-eating disorder
F50.82	Avoidant/restrictive food intake disorder
F50.89	Other specified feeding or eating disorder
F50.89	Pica, in adults
F50.9	Unspecified feeding or eating disorder
F51.01	Insomnia disorder
F51.11	Hypersomnolence disorder

ICD-10-CM Disorder, condition, or problem

F51.3	Non-rapid eye movement sleep arousal disorders, Sleepwalking type
F51.4	Non-rapid eye movement sleep arousal disorders, Sleep terror type
F51.5	Nightmare disorder
F52.0	Male hypoactive sexual desire disorder
F52.21	Erectile disorder
F52.22	Female sexual interest/arousal disorder
F52.31	Female orgasmic disorder
F52.32	Delayed ejaculation
F52.4	Premature (early) ejaculation
F52.6	Genito-pelvic pain/penetration disorder
F52.8	Other specified sexual dysfunction
F52.9	Unspecified sexual dysfunction
F54	Psychological factors affecting other medical conditions
F60.0	Paranoid personality disorder
F60.1	Schizoid personality disorder
F60.2	Antisocial personality disorder
F60.3	Borderline personality disorder
F60.4	Histrionic personality disorder
F60.5	Obsessive-compulsive personality disorder
F60.6	Avoidant personality disorder
F60.7	Dependent personality disorder
F60.81	Narcissistic personality disorder
F60.89	Other specified personality disorder
F60.9	Unspecified personality disorder
F63.0	Gambling disorder
F63.1	Pyromania
F63.2	Kleptomania
F63.3	Trichotillomania (hair-pulling disorder)
F63.81	Intermittent explosive disorder
F64.0	Gender dysphoria in adolescents and adults
F64.2	Gender dysphoria in children
F64.8	Other specified gender dysphoria
F64.9	Unspecified gender dysphoria
F65.0	Fetishistic disorder
F65.1	Transvestic disorder
F65.2	Exhibitionistic disorder
F65.3	Voyeuristic disorder
F65.4	Pedophilic disorder
F65.51	Sexual masochism disorder
F65.52	Sexual sadism disorder
F65.81	Frotteuristic disorder
F65.89	Other specified paraphilic disorder
F65.9	Unspecified paraphilic disorder
F68.10	Factitious disorder imposed on self

ICD-10-CM Disorder, condition, or problem

F68.A	Factitious disorder imposed on another
F70	Intellectual developmental disorder (intellectual disability), Mild
F71	Intellectual developmental disorder (intellectual disability), Moderate
F72	Intellectual developmental disorder (intellectual disability), Severe
F73	Intellectual developmental disorder (intellectual disability), Profound
F79	Unspecified intellectual developmental disorder (intellectual disability)
F80.0	Speech sound disorder
F80.2	Language disorder
F80.81	Childhood-onset fluency disorder (stuttering)
F80.82	Social (pragmatic) communication disorder
F80.9	Unspecified communication disorder
F81.0	Specific learning disorder, With impairment in reading
F81.2	Specific learning disorder, With impairment in mathematics
F81.81	Specific learning disorder, With impairment in written expression
F82	Developmental coordination disorder
F84.0	Autism spectrum disorder
F88	Global developmental delay
F88	Other specified neurodevelopmental disorder
F89	Unspecified neurodevelopmental disorder
F90.0	Attention-deficit/hyperactivity disorder, Predominantly inattentive presentation
F90.1	Attention-deficit/hyperactivity disorder, Predominantly hyperactive/impulsive presentation
F90.2	Attention-deficit/hyperactivity disorder, Combined presentation
F90.8	Other specified attention-deficit/hyperactivity disorder
F90.9	Unspecified attention-deficit/hyperactivity disorder
F91.1	Conduct disorder, Childhood-onset type
F91.2	Conduct disorder, Adolescent-onset type
F91.3	Oppositional defiant disorder
F91.8	Other specified disruptive, impulse-control, and conduct disorder
F91.9	Conduct disorder, Unspecified onset
F91.9	Unspecified disruptive, impulse-control, and conduct disorder
F93.0	Separation anxiety disorder
F94.0	Selective mutism
F94.1	Reactive attachment disorder
F94.2	Disinhibited social engagement disorder
F95.0	Provisional tic disorder
F95.1	Persistent (chronic) motor or vocal tic disorder
F95.2	Tourette's disorder
F95.8	Other specified tic disorder
F95.9	Unspecified tic disorder
F98.0	Enuresis
F98.1	Encopresis
F98.21	Rumination disorder
F98.3	Pica, in children

ICD-10-CM	Disorder, condition, or problem
F98.4	Stereotypic movement disorder
F98.5	Adult-onset fluency disorder
F99	Other specified mental disorder
F99	Unspecified mental disorder
G21.0	Neuroleptic malignant syndrome
G21.11	Antipsychotic medication- and other dopamine receptor blocking agent-induced parkinsonism
G21.19	Other medication-induced parkinsonism
G24.01	Tardive dyskinesia
G24.02	Medication-induced acute dystonia
G24.09	Tardive dystonia
G25.1	Medication-induced postural tremor
G25.71	Medication-induced acute akathisia
G25.71	Tardive akathisia
G25.79	Other medication-induced movement disorder
G25.81	Restless legs syndrome
G31.84	Mild frontotemporal neurocognitive disorder
G31.84	Mild neurocognitive disorder due to Alzheimer's disease
G31.84	Mild neurocognitive disorder due to another medical condition
G31.84	Mild neurocognitive disorder due to HIV infection
G31.84	Mild neurocognitive disorder due to Huntington's disease
G31.84	Mild neurocognitive disorder with Lewy bodies
G31.84	Mild neurocognitive disorder due to multiple etiologies
G31.84	Mild neurocognitive disorder due to Parkinson's disease
G31.84	Mild neurocognitive disorder due to prion disease
G31.84	Mild neurocognitive disorder due to traumatic brain injury
G31.84	Mild vascular neurocognitive disorder
G47.00	Unspecified insomnia disorder
G47.09	Other specified insomnia disorder
G47.10	Unspecified hypersomnolence disorder
G47.19	Other specified hypersomnolence disorder
G47.20	Circadian rhythm sleep-wake disorders, Unspecified type
G47.21	Circadian rhythm sleep-wake disorders, Delayed sleep phase type
G47.22	Circadian rhythm sleep-wake disorders, Advanced sleep phase type
G47.23	Circadian rhythm sleep-wake disorders, Irregular sleep-wake type
G47.24	Circadian rhythm sleep-wake disorders, Non-24-hour sleep-wake type
G47.26	Circadian rhythm sleep-wake disorders, Shift work type
G47.31	Central sleep apnea, Idiopathic central sleep apnea
G47.33	Obstructive sleep apnea hypopnea
G47.34	Sleep-related hypoventilation, Idiopathic hypoventilation
G47.35	Sleep-related hypoventilation, Congenital central alveolar hypoventilation
G47.36	Sleep-related hypoventilation, Comorbid sleep-related hypoventilation
G47.37	Central sleep apnea comorbid with opioid use
G47.411	Narcolepsy with cataplexy or hypocretin deficiency (type 1)

ICD-10-CM	Disorder, condition, or problem
G47.419	Narcolepsy without cataplexy and either without hypocretin deficiency or hypocretin unmeasured (type 2)
G47.421	Narcolepsy with cataplexy or hypocretin deficiency due to a medical condition
G47.429	Narcolepsy without cataplexy and without hypocretin deficiency due to a medical condition
G47.52	Rapid eye movement sleep behavior disorder
G47.8	Other specified sleep-wake disorder
G47.9	Unspecified sleep-wake disorder
N39.498	Other specified elimination disorder, With urinary symptoms
R06.3	Central sleep apnea, Cheyne-Stokes breathing
R15.9	Other specified elimination disorder, With fecal symptoms
R15.9	Unspecified elimination disorder, With fecal symptoms
R32	Unspecified elimination disorder, With urinary symptoms
R41.0	Other specified delirium
R41.0	Unspecified delirium
R41.81	Age-related cognitive decline
R41.83	Borderline intellectual functioning
R41.9	Unspecified neurocognitive disorder
R45.88	Current nonsuicidal self-injury
	Current suicidal behavior
T14.91A	Initial encounter
T14.91D	Subsequent encounter
T43.205A	Antidepressant discontinuation syndrome, Initial encounter
T43.205D	Antidepressant discontinuation syndrome, Subsequent encounter
T43.205S	Antidepressant discontinuation syndrome, Sequelae
T50.905A	Other adverse effect of medication, Initial encounter
T50.905D	Other adverse effect of medication, Subsequent encounter
T50.905S	Other adverse effect of medication, Sequelae
T74.01XA	Spouse or partner neglect, Confirmed, Initial encounter
T74.01XD	Spouse or partner neglect, Confirmed, Subsequent encounter
T74.02XA	Child neglect, Confirmed, Initial encounter
T74.02XD	Child neglect, Confirmed, Subsequent encounter
T74.11XA	Adult physical abuse by nonspouse or nonpartner, Confirmed, Initial encounter
T74.11XA	Spouse or partner violence, Physical, Confirmed, Initial encounter
T74.11XD	Adult physical abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter
T74.11XD	Spouse or partner violence, Physical, Confirmed, Subsequent encounter
T74.12XA	Child physical abuse, Confirmed, Initial encounter
T74.12XD	Child physical abuse, Confirmed, Subsequent encounter
T74.21XA	Adult sexual abuse by nonspouse or nonpartner, Confirmed, Initial encounter
T74.21XA	Spouse or partner violence, Sexual, Confirmed, Initial encounter
T74.21XD	Adult sexual abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter

ICD-10-CM	Disorder, condition, or problem
T74.21XD	Spouse or partner violence, Sexual, Confirmed, Subsequent encounter
T74.22XA	Child sexual abuse, Confirmed, Initial encounter
T74.22XD	Child sexual abuse, Confirmed, Subsequent encounter
T74.31XA	Adult psychological abuse by nonspouse or nonpartner, Confirmed, Initial encounter
T74.31XA	Spouse or partner abuse, Psychological, Confirmed, Initial encounter
T74.31XD	Adult psychological abuse by nonspouse or nonpartner, Confirmed, Subsequent encounter
T74.31XD	Spouse or partner abuse, Psychological, Confirmed, Subsequent encounter
T74.32XA	Child psychological abuse, Confirmed, Initial encounter
T74.32XD	Child psychological abuse, Confirmed, Subsequent encounter
T76.01XA	Spouse or partner neglect, Suspected, Initial encounter
T76.01XD	Spouse or partner neglect, Suspected, Subsequent encounter
T76.02XA	Child neglect, Suspected, Initial encounter
T76.02XD	Child neglect, Suspected, Subsequent encounter
T76.11XA	Adult physical abuse by nonspouse or nonpartner, Suspected, Initial encounter
T76.11XA	Spouse or partner violence, Physical, Suspected, Initial encounter
T76.11XD	Adult physical abuse by nonspouse or nonpartner, Suspected, Subsequent encounter
T76.11XD	Spouse or partner violence, Physical, Suspected, Subsequent encounter
T76.12XA	Child physical abuse, Suspected, Initial encounter
T76.12XD	Child physical abuse, Suspected, Subsequent encounter
T76.21XA	Adult sexual abuse by nonspouse or nonpartner, Suspected, Initial encounter
T76.21XA	Spouse or partner violence, Sexual, Suspected, Initial encounter
T76.21XD	Adult sexual abuse by nonspouse or nonpartner, Suspected, Subsequent encounter
T76.21XD	Spouse or partner violence, Sexual, Suspected, Subsequent encounter
T76.22XA	Child sexual abuse, Suspected, Initial encounter
T76.22XD	Child sexual abuse, Suspected, Subsequent encounter
T76.31XA	Adult psychological abuse by nonspouse or nonpartner, Suspected, Initial encounter
T76.31XA	Spouse or partner abuse, Psychological, Suspected, Initial encounter
T76.31XD	Adult psychological abuse by nonspouse or nonpartner, Suspected, Subsequent encounter
T76.31XD	Spouse or partner abuse, Psychological, Suspected, Subsequent encounter
T76.32XA	Child psychological abuse, Suspected, Initial encounter
T76.32XD	Child psychological abuse, Suspected, Subsequent encounter
Z03.89	No diagnosis or condition
Z31.5	Genetic counseling
Z55.0	Illiteracy and low-level literacy
Z55.1	Schooling unavailable and unattainable
Z55.2	Failed school examinations
Z55.3	Underachievement in school
Z55.4	Educational maladjustment and discord with teachers and classmates
Z55.8	Problems related to inadequate teaching

ICD-10-CM	Disorder, condition, or problem
Z55.9	Other problems related to education and literacy
Z56.0	Unemployment
Z56.1	Change of job
Z56.2	Threat of job loss
Z56.3	Stressful work schedule
Z56.4	Discord with boss and workmates
Z56.5	Uncongenial work environment
Z56.6	Other physical and mental strain related to work
Z56.81	Sexual harassment on the job
Z56.82	Problem related to current military deployment status
Z56.9	Other problem related to employment
Z58.6	Lack of safe drinking water
Z59.01	Sheltered homelessness
Z59.02	Unsheltered homelessness
Z59.1	Inadequate housing
Z59.2	Discord with neighbor, lodger, or landlord
Z59.3	Problem related to living in a residential institution
Z59.41	Food insecurity
Z59.5	Extreme poverty
Z59.6	Low income
Z59.7	Insufficient social or health insurance or welfare support
Z59.9	Other economic problem
Z59.9	Other housing problem
Z60.0	Phase of life problem
Z60.2	Problem related to living alone
Z60.3	Acculturation difficulty
Z60.4	Social exclusion or rejection
Z60.5	Target of (perceived) adverse discrimination or persecution
Z60.9	Other problem related to social environment
Z62.29	Upbringing away from parents
Z62.810	Personal history (past history) of physical abuse in childhood
Z62.810	Personal history (past history) of sexual abuse in childhood
Z62.811	Personal history (past history) of psychological abuse in childhood
Z62.812	Personal history (past history) of neglect in childhood
Z62.820	Parent-child relational problem, Parent-biological child
Z62.821	Parent-child relational problem, Parent-adopted child
Z62.822	Parent-child relational problem, Parent-foster child
Z62.891	Sibling relational problem
Z62.898	Child affected by parental relationship distress
Z62.898	Parent-child relational problem, Other caregiver-child
Z63.0	Relationship distress with spouse or intimate partner
Z63.4	Uncomplicated bereavement
Z63.5	Disruption of family by separation or divorce
Z63.8	High expressed emotion level within family

ICD-10-CM	Disorder, condition, or problem
Z64.0	Problems related to unwanted pregnancy
Z64.1	Problems related to multiparity
Z64.4	Discord with social service provider, including probation officer, case manager, or social services worker
Z65.0	Conviction in civil or criminal proceedings without imprisonment
Z65.1	Imprisonment or other incarceration
Z65.2	Problems related to release from prison
Z65.3	Problems related to other legal circumstances
Z65.4	Victim of crime
Z65.4	Victim of terrorism or torture
Z65.5	Exposure to disaster, war, or other hostilities
Z65.8	Religious or spiritual problem
Z69.010	Encounter for mental health services for victim of child neglect by parent
Z69.010	Encounter for mental health services for victim of child physical abuse by parent
Z69.010	Encounter for mental health services for victim of child psychological abuse by parent
Z69.010	Encounter for mental health services for victim of child sexual abuse by parent
Z69.011	Encounter for mental health services for perpetrator of parental child neglect
Z69.011	Encounter for mental health services for perpetrator of parental child physical abuse
Z69.011	Encounter for mental health services for perpetrator of parental child psychological abuse
Z69.011	Encounter for mental health services for perpetrator of parental child sexual abuse
Z69.020	Encounter for mental health services for victim of nonparental child neglect
Z69.020	Encounter for mental health services for victim of nonparental child physical abuse
Z69.020	Encounter for mental health services for victim of nonparental child psychological abuse
Z69.020	Encounter for mental health services for victim of nonparental child sexual abuse
Z69.021	Encounter for mental health services for perpetrator of nonparental child neglect
Z69.021	Encounter for mental health services for perpetrator of nonparental child physical abuse
Z69.021	Encounter for mental health services for perpetrator of nonparental child psychological abuse
Z69.021	Encounter for mental health services for perpetrator of nonparental child sexual abuse
Z69.11	Encounter for mental health services for victim of spouse or partner neglect
Z69.11	Encounter for mental health services for victim of spouse or partner psychological abuse
Z69.11	Encounter for mental health services for victim of spouse or partner violence, Physical
Z69.12	Encounter for mental health services for perpetrator of spouse or partner neglect

ICD-10-CM Disorder, condition, or problem

Z69.12	Encounter for mental health services for perpetrator of spouse or partner psychological abuse
Z69.12	Encounter for mental health services for perpetrator of spouse or partner violence, Physical
Z69.12	Encounter for mental health services for perpetrator of spouse or partner violence, Sexual
Z69.81	Encounter for mental health services for victim of nonspousal or nonpartner adult abuse
Z69.81	Encounter for mental health services for victim of spouse or partner violence, Sexual
Z69.82	Encounter for mental health services for perpetrator of nonspousal or nonpartner adult abuse
Z70.9	Sex counseling
Z71.3	Dietary counseling
Z71.9	Other counseling or consultation
Z72.0	Tobacco use disorder, mild
Z72.810	Child or adolescent antisocial behavior
Z72.811	Adult antisocial behavior
Z72.9	Problem related to lifestyle
Z75.3	Unavailability or inaccessibility of health care facilities
Z75.4	Unavailability or inaccessibility of other helping agencies
Z76.5	Malingering
Z91.19	Nonadherence to medical treatment
Z91.410	Personal history (past history) of spouse or partner violence, Physical
Z91.410	Personal history (past history) of spouse or partner violence, Sexual
Z91.411	Personal history (past history) of spouse or partner psychological abuse
Z91.412	Personal history (past history) of spouse or partner neglect
Z91.49	Personal history of psychological trauma
Z91.51	History of suicidal behavior
Z91.52	History of nonsuicidal self-injury
Z91.82	Personal history of military deployment
Z91.83	Wandering associated with a mental disorder
